

GREY WAGTAIL *Motacilla cinerea*. Recorded off Lakshadweep at 12°32'N 74°10'E on 3 October 1962 (Tuck 1964).  
 RICHARD'S PIPIT *Anthus richardi*. Recorded by Anon. (1991).  
 TREE PIPIT *Anthus trivialis*. Recorded by Anon. (1991).  
 PIPIT *Anthus*. Mathew and Ambedkar saw one on the coral reef on Bitra.

## Recent bird records from Arunachal Pradesh

PRATAP SINGH

Very little information exists on the avifauna of Arunachal Pradesh. A compilation of bird records gathered from 1988 to 1994 is presented. A complete list of the 519 species recorded is given, together with information on localities, habitats and altitudinal ranges. A number of important records are given in more detail, including several globally threatened species and some new records for Arunachal Pradesh. A list of 138 extra species recorded in Arunachal Pradesh by other authors is given in an appendix.

The avifauna of the eastern Himalaya, particularly that of Arunachal Pradesh, has not been exhaustively surveyed. There are very few published accounts relating to birds in Arunachal Pradesh: Ali and Ripley (1948), Bailey (1916), Baker (1913a and b, 1914a and b), Betts (1954, 1956), Chatterjee and Chandiramani (1986), Choudhury (1990, 1992, 1993), Ghosh (1987), Godwin-Austen (1875, 1876a and b, 1877), Katti (1992), Katti *et al.* (1992), Kaul and Ahmed (1992), Ludlow and Kinnear (1937, 1944), Pandya (1990), Parsons (1935, 1939a and b), Ripley (1948), Ripley (1980), Ripley *et al.* (1991), Saha (1981, 1985), Singh (1993), Stevens (1915), Stonor (1952) and Whistler (1941). Out of 71 globally threatened species of birds recorded in India (N. J. Collar, M. J. Crosby and A. J. Stattersfield, 1994, *Birds to watch 2, the world list of threatened birds*), 26 have been recorded in Arunachal Pradesh (Appendices 1 and 2) and 13 of these were recorded during this survey. These species are indicated by an asterisk (\*) in this paper.

\*SWAMP FRANCOLIN *Francolinus gularis* Seen at D'Ering WLS on 29 January 1994. The first record for Arunachal Pradesh.

\*CHESTNUT-BREASTED PARTRIDGE *Arborophila mandellii* A dead bird was seen at Malinje (1,850 m) on 10 January 1994. A little-known species with very few records from anywhere in its range.

\*FERRUGINOUS POCHARD *Aythya nyroca* Seen at D'Ering WLS (120 m). COMMON GOLDENEYE *Bucephala clangula* Seen at D'Ering WLS on 13 and 15 March 1993, and 28-29 January 1994. Previously recorded in Arunachal Pradesh only by Choudhury (1992) who saw one on 17 March 1991.

YELLOW-RUMPED HONEYGUIDE *Indicator xanthonotus* One was noted on a tree branch near a honeycomb at Limeking (1,450 m) on 14 November 1992, and another was seen near Pange (1,700 m) on 18 March 1994. The first records for Arunachal Pradesh.

**EURASIAN WRYNECK** *Jynx torquilla* Singles were seen at Kirsinghsa on 2 March 1993, at Naharlagun on 25 April 1993, on the Hayliang-Wallong road on 5, 9 and 11 September 1994, and near Ditchu on 13 September 1994. The first records for Arunachal Pradesh.

**COPPERSMITH BARBET** *Megalaima haemacephala* Seen at Foothills (150 m) on 22 April 1991, and at Naharlagun on 23 October 1993 and 22 January 1994. The first records for Arunachal Pradesh.

**\*RUFOUS-NECKED HORNBILL** *Aceros nipalensis* Seen at Keegut, Deban, Khellong, Glao Lake, Pange, Tipi, Sessa, Hayliang road and Mehao lake track.

**\*WARD'S TROGON** *Harpactes wardi* Recorded at Chakoo, Alinye and Helmet Top between 2,000 and 3,000 m.

**BLACK-CAPPED KINGFISHER** *Halcyon pileata* A single was seen near the Foothills Range headquarters (150 m) on 21 April 1991, and a skin from this species, purportedly locally killed, was noted at Hotspring (3,300 m) in September 1991. The first records for Arunachal Pradesh.

**BLUE-TAILED BEE-EATER** *Merops philippinus* Seen at Chessa on 8 September 1991 and at Sejusa on 9 October 1994. The first records for Arunachal Pradesh.

**ASIAN EMERALD CUCKOO** *Chrysococcyx maculatus* A female was seen near Talley valley at 2,200 m, a very high altitude for the species. Previously listed by Ripley (1982) for Arunachal Pradesh but this is the first specific published record.

**VIOLET CUCKOO** *Chrysococcyx xanthorhynchus* A pair was seen near Namora (150 m) on 24 April 1992, and a male was seen near Jang (2,400 m) on 6 May 1993. The first records for Arunachal Pradesh.

**DERBYAN PARAKEET** *Psittacula derbiana* Many were seen at Hotspring (3,399 m) from 25 to 29 September 1991. The birds made frequent visits to nest-holes in a tall dead tree. Previously only recorded further west in Siang and Subansiri districts (Stonor 1952).

**SILVER-BACKED NEEDLETAI** *Hirundapus cochinchinensis* Seen at Talley Valley (2,400 m) on 22-24 March 1994, at Yachuli (1,200 m) on 10 November 1993, and at Sejusa (150 m) on 11 April 1993. The first records for Arunachal Pradesh.

**EURASIAN EAGLE-OWL** *Bubo bubo* One was caught near Taksing (2,300 m) on 2 December 1992. The first record for Arunachal Pradesh.

**GREAT EARED-NIGHTJAR** *Eurostopodus macrotis* One was heard at Mehao lake (1,650 m) on 13 November 1994. The first record for Arunachal Pradesh.

**EURASIAN COLLARED-DOVE** *Streptopelia decaocto* Seen at D'Ering WLS on 12 November 1991 and 14-15 March 1993. The first records for Arunachal Pradesh.

**\*BENGAL FLORICAN** *Eupodotis bengalensis* Seen at D'Ering WLS on 2 November 1991 and 14-15 March 1993. Listed by Ripley (1982) for Arunachal Pradesh but no definite records.

**BROWN CRAKE** *Amaurornis akool* Seen at Chessa on 11 April 1992. The first record for Arunachal Pradesh.

**WHITE-BREASTED WATERHEN** *Amaurornis phoenicurus* Seen at Namsai on 30 January 1992. The first record for Arunachal Pradesh.

**BLACK-TAILED CRAKE** *Amaurornis bicolor* A single was seen in a swampy area at Pange on 24 June 1991. Previously recorded at Lhalung by Ludlow and Kinnear (1944) (Inskip and Round 1989).

**BLACK-TAILED GODWIT** *Limosa limosa* Seen at D'Ering WLS, Khari and Namora. The first records for Arunachal Pradesh.

**GREAT THICK-KNEE** *Burhinus recurvirostris* Seen at D'Ering (120 m) on 28 January 1994. Recorded in Arunachal Pradesh previously only by Choudhury (1992).

**GREAT BLACK-HEADED GULL** *Larus ichthyaetus* Seen at Tezu on 4 March 1988 and also seen at D'Ering, Namora and Miao. The first records for Arunachal Pradesh.

**BROWN-HEADED GULL** *Larus brunnicephalus* Seen at D'Ering WLS on 13 December 1991; also at Miao (100 m) and at Sejusa (120 m). The first records for Arunachal Pradesh.

**\*BLACK-BELLIED TERN** *Sterna acuticauda* Seen at D'Ering WLS and at Tezu.

**ORIENTAL HONEY-BUZZARD** *Pernis ptilorhynchus* Seen at Khari on 19 August 1990 and at Sejusa on 6 February 1991. The first records for Arunachal Pradesh.

**WHITE-TAILED EAGLE** *Haliaeetus albicilla* Seen at D'Ering WLS on 13 March 1993 and at Deban on 12 February 1994. The first records for Arunachal Pradesh.

**EURASIAN GRIFFON** *Gyps fulvus* Seen at Mayodia (2,500 m) on 29 December 1993 and 1 January 1994. The first record for Arunachal Pradesh.

**SHORT-TOED SNAKE-EAGLE** *Circaetus gallicus* Singles were seen at Anchal Ghat in D'Ering WLS on 3 November 1991 and 15 March 1993. The only records for Arunachal Pradesh.

**\*LESSER KESTREL** *Falco naumanni* Seen at Naharlagun on 27 October 1992. The first record for Arunachal Pradesh.

**AMUR FALCON** *Falco amurensis* Large numbers were seen at Naharlagun during the last week of October 1992. The first record for Arunachal Pradesh.

**MERLIN** *Falco columbarius* One was seen on 15 March 1993 in D'Ering WLS. It settled on a driftwood stack in the riverbed of Siang. The first record for Arunachal Pradesh and north-east India.

EURASIAN HOBBY *Falco subbuteo* Three were seen near Wallong on 6 October 1991. The first record for Arunachal Pradesh.

BLACK-CROWNED NIGHT-HERON *Nycticorax nycticorax* Seen at Tezu on 16 April 1988. The first record for Arunachal Pradesh.

BLACK-HEADED IBIS *Threskiornis melanocephalus* Seen over Khari on 19 August 1990. The first record for Arunachal Pradesh.

BLACK STORK *Ciconia nigra* Seen at D'Ering WLS and over Khari. The first records for Arunachal Pradesh.

WOOLLY-NECKED STORK *Ciconia episcopus* Seen over Namsai. The first record for Arunachal Pradesh.

BLACK-NECKED STORK *Ephippiorhynchus asiaticus* Seen at D'Ering on 13-14 December 1991 and on 29 January 1994. Not recorded in Arunachal Pradesh by Rahmani (1989) and the species is now very reduced in numbers in Asia, especially in the Indian subcontinent.

\*LESSER ADJUTANT *Leptoptilos javanicus* Recorded at D'Ering WLS.

BLUE-WINGED LEAFBIRD *Chloropsis cochinchinensis* Seen on the Deban-Ranijheel trek on 9-12 February 1994 with P. Alström and other Swedish birdwatchers. The first record for Arunachal Pradesh.

BROWN SHRIKE *Lanius cristatus* Listed for Arunachal Pradesh only by Ali and Ripley (1987).

RUFOUS TREEPIE *Dendrocitta vagabunda* Listed for Arunachal Pradesh only by Ripley (1982).

CHESTNUT THRUSH *Turdus rubrocanus* Two were seen at Mayodia (2,700 m) on 5 January 1991, and one was seen near Wakro (300 m) on 27 January 1992. Previously recorded in Arunachal Pradesh by Katti *et al.* (1991).

TICKELL'S BLUE-FLYCATCHER *Cyornis tickelliae* Seen at Naharlagun (200 m) on 30 April 1994. The first record for Arunachal Pradesh.

PURPLE COCHOA *Cochoa purpurea* A juvenile was seen near Pange (1,850 m) on 13 June 1994. The first record for Arunachal Pradesh.

GREAT MYNA *Acridotheres grandis* Seen occasionally at Naharlagun. Previously recorded in Arunachal Pradesh only by Ripley *et al.* (1991).

CHESTNUT-VENTED NUTHATCH *Sitta nagaensis* Seen at Kibitho (1,400 m) on 6 September 1994, at Milinja (2,400 m) on 14 September 1994, and at Hotspring (3,200 m) on 16 September 1994. The first records for Arunachal Pradesh.

\*BEAUTIFUL NUTHATCH *Sitta formosa* Seen at Sesni (1,300 m) on 21 April 1992, on the Etalin-Malinye track on 6 January 1994, at Hornbill on 11 February 1994, and at Sessa on 26 June 1994.

EURASIAN TREE-CREEPER *Certhia familiaris* Seen at Talley Valley, Hotspring and Mago. Ripley (1982) stated that, following Ludlow and Kinnear (1944), it occurred in Towang and the Pachakshiri region; however, the

latter is an error because Ludlow's specimens were from Tibet. The Hotspring record is thus a considerable eastward extension of the range of the species in the Himalaya.

BAR-TAILED TREECREEPER *Certhia himalayana* Seen at Kibitho (1,300 m) on 12 September 1994. The first record for Arunachal Pradesh.

FIRE-CAPPED TIT *Cephalopyrus flammiceps* One was seen in degraded broadleaved/scrub forest near Bomdilla on 26 August 1990. The first record for Arunachal Pradesh, although subsequently seen by Katti (1992).

RUFOUS-VENTED TIT *Parus rubidiventris* Seen in the Thingbu-Mago area in September 1990 and, commonly, in the same area during the first week of May, 1993. Previously recorded in Arunachal Pradesh by Ludlow and Kinnear (1937).

SAND MARTIN *Riparia riparia* Seen in the upper Dikroi on 9 February 1991. The first record for Arunachal Pradesh.

CRESTED FINCHBILL *Spizixos canifrons* Two were seen near Gao Lake on 27 January 1992. The first record for Arunachal Pradesh.

ZITTING CISTICOLA *Cisticola juncidis* Seen at D'Ering on 3 November 1991. The first record for Arunachal Pradesh.

GOLDEN-SPECTACLED WARBLER *Seicercus burkii* Birds of the subspecies *tephrocephalus* were seen at Karoti on 22 September 1991 (two) and near Ditchu on 23 September 1991 (at least three).

RUFOUS-RUMPED GRASSBIRD *Graminicola bengalensis* Seen at D'Ering on 13 March 1993. The first record for Arunachal Pradesh.

ELLIOT'S LAUGHINGTHRUSH *Garrulax elliotii* A group of more than 20 was seen near Hotspring (3,200 m) on 15 September 1994. The first record for the Indian subcontinent.

CHESTNUT-CROWNED LAUGHINGTHRUSH *Garrulax erythrocephalus* Seen at Wakro in January 1992 at the very low altitude of 300 m.

\*MARSH BABBLER *Pellorneum palustre* Two were seen at Tipi (400 m) on 26 June 1994. Previously listed for Arunachal Pradesh only by Ripley (1982).

\*RUFOUS-THROATED WREN-BABBLER *Spelaeornis caudatus* Seen in the undergrowth of evergreen subtropical/temperate forest at Pange and Talley valley (1,900-2,400 m), from 21 to 24 June 1991 and very commonly in February and June 1994. Ripley (1982) mentions a specimen collected at Khalaktang, Kameng district on 2 February 1978, but this is the only other record for Arunachal Pradesh.

BAR-WINGED WREN-BABBLER *Spelaeornis troglodytoides* A group of at least six was seen near Chakoo (3,000 m) on 27 April 1991 (Singh 1992). Previously recorded in Arunachal Pradesh by Ludlow and Kinnear (1944) from Nyug La, and by Ripley *et al.* (1991) from Noa-Dihing.

SPOTTED WREN-BABBLER *Spelaeornis formosus* Seen at Rani Jheel (500 m) on

11 February 1994 and confirmed by P. Alström. The first record for Arunachal Pradesh.

**LONG-TAILED WREN-BABBLER** *Spelaeornis chocolatinus* Seen at Hotspring (3,100 m) on 16 September 1994. Previously recorded from Arunachal Pradesh only by Ripley *et al.* (1991).

**WEDGE-BILLED WREN-BABBLER** *Sphenocichla humei* The species was seen many times in flocks of up to eight or more, in primary subtropical forest in the Orak-Glenshang area (1,100-1,300 m) from 18 to 20 November 1992, and also seen near Mehao lake on 14 November 1994. Previously recorded in Arunachal Pradesh by Baker (1922) from the Abor Hills, Ripley *et al.* (1991) and by Katti *et al.* (1992).

\***SNOWY-THROATED BABBLER** *Stachyris oglei* Recorded on the Deban-Hornbill track at 450 m.

**CHESTNUT-CAPPED BABBLER** *Timalia pileata* Seen at Dimbey in March 1988 and at D'Ering WLS on 14 December 1991. Previously recorded in Arunachal Pradesh by Abdulali (1983), and subsequently by Pandya (1990).

**STRIATED BABBLER** *Turdoides earlei* Seen at D'Ering on 2-3 November 1991 and near Tezu on 18 September 1994. The first records for Arunachal Pradesh.

**BROWN PARROTBILL** *Paradoxornis unicolor* Seen on the Mago trek and at Mayodia, and at Talley valley on 17 June 1994. Previously recorded at Towang (Ali and Ripley 1987).

**SPOT-BREASTED PARROTBILL** *Paradoxornis guttaticollis* A group of at least five birds was seen near Wallong (2,000 m) on 7 October 1991. The first record for Arunachal Pradesh.

**GREATER RUFOUS-HEADED PARROTBILL** *Paradoxornis ruficeps* Seen at Khellong, Anini and Deban between 200 and 1,500 m. Treated as globally threatened by Collar and Andrew (1988).

**INDIAN SHORT-TOED LARK** *Calandrella raytal* Seen at D'Ering on 15 March 1993. The first record for Arunachal Pradesh.

**RUBY-CHEEKED SUNBIRD** *Anthreptes singalensis* Singles were seen at Deomali on 24 January 1992 and at Chessa on 11 April 1992. Listed by Ripley (1982) for Arunachal Pradesh.

**WHITE-BROWED WAGTAIL** *Motacilla maderaspatensis* Seen at Tezu on 17 September 1991. The first record for Arunachal Pradesh.

**TAWNY PIPIT** *Anthus campestris* Many were seen near Tezu Forest Resthouse on 11 October 1991, one was seen near Deomali on 24 January 1992 and one at Hapoli on 27 March 1994. The first records for Arunachal Pradesh.

**BAYA WEAVER** *Ploceus philippinus* Seen at Naharlagun (200 m) on 29 May 1994. The first positive record for Arunachal Pradesh.

**YELLOW-BREASTED GREENFINCH** *Carduelis spinoides* Listed by Ripley (1982) for Arunachal Pradesh.

**BLACK-HEADED GREENFINCH** *Carduelis ambigua* Ripley (1982) listed it for 'southeastern Tibet and adjacent parts of Arunachal Pradesh', presumably based on Ludlow's records. However, all Ludlow's specimens were from Tibet, making this the first record for Arunachal Pradesh and India.

**COMMON ROSEFINCH** *Carpodacus erythrinus* Seen frequently at Hotspring from 27 to 29 September 1991. Previously recorded in Arunachal Pradesh by Ali and Ripley (1948).

**SPOT-WINGED ROSEFINCH** *Carpodacus rodopeplus* Seen at Mayodia (2,500 m) on 31 December 1993. The first record for Arunachal Pradesh.

**GODLEWSKI'S BUNTING** *Emberiza godlewskii* Listed by Ripley (1982) for Arunachal Pradesh, presumably based on Ludlow and Kinnear (1944), but all Ludlow's specimens were from Tibet, as already pointed out by Ticehurst (1941).

**YELLOW-BREASTED BUNTING** *Emberiza aureola* Seen on the Chakoo road on 25 April 1991. The first record for Arunachal Pradesh.

Jayant K. Kulkarni provided me constant guidance and sent me photocopies of bird literature available in the library of the Bombay Natural History Society.

## REFERENCES

1. Abdulali, H. (1983) A catalogue of the birds in the collection of Bombay Natural History Society - 25 Muscicapidae (Timaliinae) (part). *J. Bombay Nat. Hist. Soc.* 79: 336-360.
2. Ali, S. and Ripley, S. D. (1948) The birds of the Mishmi Hills. *J. Bombay Nat. Hist. Soc.* 48: 1-37.
3. Ali, S. and Ripley, S. D. (1987) *Compact handbook of the birds of India and Pakistan*. New Delhi: Oxford University Press.
4. Bailey, F. M. (1916) Notes from southern Tibet. *J. Bombay Nat. Hist. Soc.* 24: 72-78.
5. Baker, E. C. S. (1913a) Zoological results of the Abor Expedition (1911-1912). *Birds. Rec. Indian Mus.* 8: 259-288.
6. Baker, E. C. S. (1913b) On a small collection of birds from the Mishmi Hills, N. E. frontier of India. *Rec. Indian Mus.* 9: 251-254.
7. Baker, E. C. S. (1914a) (Remarks on *Crossoptilon harmani* and *Pomatorhinus erythrogenys*.) *Bull. Brit. Orn. Club* 33: 121-124.
8. Baker, E. C. S. (1914b) (Description of new birds from the north-east frontier of India.) *Bull. Brit. Orn. Club* 35: 17-19.
9. Baker, E. C. S. (1922-1930) *Fauna of British India*, Birds. Second edition. London: Taylor and Francis.
10. Betts, F. N. (1954) Occurrence of the Black-necked Crane (*Grus nigricollis*) in Indian limits. *J. Bombay Nat. Hist. Soc.* 52: 605-606.
11. Betts, F. N. (1956) Notes on birds of the Subansiri area. *J. Bombay Nat. Hist. Soc.* 53: 397-414.
12. Blanford, W. T. and Oates, E. W. (1889-1898) *Fauna of British India*, birds. London: Taylor and Francis.
13. Chatterjee, A. K. and Chandramani, S. S. (1986) An introduction to Namdapha Tiger Reserve, Arunachal Pradesh, India. *Tigerpaper* 13(3): 22-27.

14. Choudhury, A. (1990) Bird observations from Namdapha National Park and adjacent areas. *Arunachal Forest News* 8: 38-43.
15. Choudhury, A. (1992) Some birds in D'Ering Sanctuary. *Arunachal Forest News* 10: 39-42.
16. Choudhury, A. (1993) Winter bird-count in Namdapha National Park. Unpublished.
17. Ghosh, A. K. (1987) Qualitative analysis of faunal resources of proposed Namdapha Biosphere Reserve, Arunachal Pradesh. Calcutta: Zoological Survey of India.
18. Godwin-Austen, H. H. (1875) Description of a supposed new *Actinura* from the Dafla Hills. *Ann. Mag. Nat. Hist.* (4)16: 339-340.
19. Godwin-Austen, H. H. (1876a) Description of a supposed new *Suthora* from the Dafla Hills and a *Minla* from the Naga Hills, with remarks on *Pictorhis (Chrysomma) altirostre*, Jerdon. *Ann. Mag. Nat. Hist.* (4)17: 32-34.
20. Godwin-Austen, H. H. (1876b) List of the birds collected on the expedition into the Dafla Hills, Assam, together with those obtained in the adjacent Darrang terai. *J. Asiatic Soc. Bengal* 45(2): 64-85.
21. Godwin-Austen, H. H. (1877) Description of three new species of birds of the genera *Pellorneum*, *Actinura* and *Pomatorhinus* lately collected in the neighbourhood of Saddya, Assam, by Mr. M. J. Ogle of the Topographical Survey. *J. Asiatic Soc. Bengal* 46(2): 41-45.
22. Hume, A. O. (1880) The game birds of India. Addenda et corrigenda. *Stray Feathers* 8: 489-494.
23. Inskip, T. P. and Round, P. D. (1989) A review of the Black-tailed Crake *Porzana bicolor*. *Forktail* 5: 3-15.
24. Katti, M. (1992) Biodiversity and the exploitation of wild fruits in the tropical forests of Arunachal Pradesh, India. Unpublished.
25. Katti, M., Singh, P., Manjrekar, N., Mukherjee, S. and Sharma, D. (1992) An ornithological survey in eastern Arunachal Pradesh, India. *Forktail* 7: 75-89.
26. Kaul, R. and Ahmed, A. (1992) Pheasant studies in north-east India - 1, Arunachal Pradesh. Unpublished.
27. Ludlow, F. and Kinnear, N. B. (1937) The birds of Bhutan and adjacent territories of Sikkim and Tibet. *Ibis* (14)1: 1-46, 249-293, 467-504.
28. Ludlow, F. and Kinnear, N. B. (1944) The birds of south-eastern Tibet. *Ibis* 86: 43-86, 176-208, 348-389.
29. Pandya, N. P. (1990) Report on an initial survey of Pygmy Hog (*Sus salvanius*) and Hairy Hare (*Caprolagus hispidus*) and their habitat in Arunachal Pradesh. Unpublished.
30. Parsons, R. E. (1935) A second record of the occurrence of the Long-tailed Duck (*Clangula hyemalis* Linn.) in India. *J. Bombay Nat. Hist. Soc.* 38: 193-194.
31. Parsons, R. E. (1939a) Migration routes of geese. *J. Bombay Nat. Hist. Soc.* 40: 764-765.
32. Parsons, R. E. (1939b) Notes on wild duck and geese in the Sadiya frontier tract, Assam. *J. Bombay Nat. Hist. Soc.* 41: 422-426.
33. Rahmani, A. R. (1989) Status of the Black-necked Stork *Ephippiorhynchus asiaticus* in the Indian subcontinent. *Forktail* 5: 99-110.
34. Ripley, S. D. (1948) New birds from Mishmi Hills. *Proc. Biol. Soc. Washington* 61: 99-107.
35. Ripley, S. D. (1980) A new species, and a new subspecies of bird from Tirap district, Arunachal Pradesh, and comments on the subspecies of *Stachyris nigriceps* Blyth. *J. Bombay Nat. Hist. Soc.* 77: 1-5.
36. Ripley, S. D. (1982) *Synopsis of the birds of India and Pakistan*.
37. Ripley, S. D., Saha, S. S. and Beehler, B. M. (1991) Notes on birds from the Upper Noa Dihing, Arunachal Pradesh, northeastern India. *Bull. Brit. Orn. Club* 111: 19-28.
38. Saha, S. S. (1981) Black-necked Crane in Bhutan and Arunachal Pradesh - a survey report for January-February 1978. *J. Bombay Nat. Hist. Soc.* 77: 326-328.
39. Saha, S. S. (1985) Aves. *Records Zool. Surv. India* 82: 303-318.
40. Singh, P. (1991a) A preliminary faunal survey in Thingbu Circle of Tawang District, Arunachal Pradesh. *Arunachal Forest News* 9(1): 13-22.
41. Singh, P. (1991b) Avian and mammalian evidences in Pakhui Wildlife Sanctuary in East Kameng District, Arunachal Pradesh. *Arunachal Forest News* 9(2): 1-10.

42. Singh, P. (1991c) Sighting of Tibetan Blood Pheasant in Tawang District of Arunachal Pradesh. *W.P.A. News* 32: 11-12.
43. Singh, P. (1993) Spotted Long-tailed Wren-Babbler *Spelaeornis troglodytoides* (Verreaux) in Arunachal Pradesh. *J. Bombay Nat. Hist. Soc.* 89: 376.
44. Singh, P. (1993) Breeding record of Ferruginous Flycatcher *Muscicapa ferruginea* (Hodgson). *J. Bombay Nat. Hist. Soc.* 90: 97-98.
45. Stevens, H. (1915) Notes on the birds of upper Assam. *J. Bombay Nat. Hist. Soc.* 23: 234-268, 547-570, 721-736.
46. Stonor, C. R. (1952) Distribution of Lord Derby's Parakeet. *Ibis* 94: 162.
47. Ticehurst, C. B. (1941) Systematic notes on Indian birds. IX. 26. On some forms for the inclusion of which in the avifauna of British India further proof is needed (contd.). *Ibis* (14)5: 177-182.
48. Whistler, H. (1941) East Himalayan laughing thrushes. *Ibis* (14)5: 172-173.

Pratap Singh, DCF (Wildlife), Forest Department, PCCF Office, Itanagar 791111, Arunachal Pradesh, India.

**APPENDIX 1****BIRDS RECORDED IN ARUNACHAL PRADESH, 1988-1994**

|  | Altitude     | Localities  | Habitat  | Abundance                                 |
|--|--------------|---|--|---|
| SWAMP FRANCOLIN <i>Francolinus gularis</i>               | 120          | D'Ering   | 7  | n   |
| HILL PARTRIDGE <i>Arborophila torqueola</i>              | 2000-2800    | Chakoo road<br>Talley valley<br>Malinye<br>Mayodia  | 1d/3<br>1c/3<br>1d<br>1d                           | c<br>n<br>n<br>n                          |
| WHITE-CHEEKED PARTRIDGE <i>Arborophila atrogularis</i>   | 150          | Sejusa  | 2a   | n   |
| CHESTNUT-BREASTED PARTRIDGE <i>Arborophila mandellii</i> | 1850         | Malinye   |  | dead bird                                 |
| BLOOD PHEASANT <i>Ithaginis cruentus</i>                 | 3400         | Thingbu<br>Para<br>Towang   | 3<br>3<br>3  | c<br>n<br>skin                            |
| SATYR TRAGOPAN <i>Tragopan satyra</i>                    |              | Taksing area  |  | skin                                      |
| TEMMINCK'S TRAGOPAN <i>Tragopan temminckii</i>           |              | Majha area  |  | skin                                      |
| HIMALAYAN MONAL <i>Lophophorus impejanus</i>             | 2500         | Talley Valley   | 1d/1e  | heard                                     |
| RED JUNGLEFOWL <i>Gallus gallus</i>                      | 120-800      | Mago<br>Malinye   | 8<br>1a/2a/2f                                      | n<br>c                                    |
| KALIJ PHEASANT <i>Lophura leucomelanos</i>               | 900-2400     | Dambuin<br>Pange<br>Yachuli<br>Ahuli  | 2b<br>1d<br>8<br>2b                                | n<br>c<br>n<br>n                          |
| GREY PEACOCK-PHEASANT <i>Polylectron bicalcaratum</i>    | 150-1200     | Rowta<br>Sesni<br>Sessa<br>Khari-upper Dikroi<br>Chessa<br>Giao Lake<br>Motijheel<br>Deban-Hornbill | 1a<br>1b<br>1b<br>1a<br>1a<br>1a<br>1b<br>1a<br>1a | n<br>c<br>n<br>c<br>n<br>n<br>c<br>n<br>c |
| RUDDY SHELDUCK <i>Tadorna ferruginea</i>                 | 120-200      | D'Ering<br>Naharlagun<br>Lohit River  | 6<br>6<br>6  | a<br>r<br>n                               |
| GADWALL <i>Anas strepera</i>                             | 120          | D'Ering   | 6  | c   |
| EURASIAN WIGEON <i>Anas penelope</i>                     | 1500         | Hapoli  | 5  | n   |
| SPOT-BILLED DUCK <i>Anas poecilorhyncha</i>              | 120-140      | D'Ering   | 5/6  | c   |
| NORTHERN SHOVELER <i>Anas clypeata</i>                   | 120-140      | D'Ering   | 5  | n   |
| NORTHERN PINTAIL <i>Anas acuta</i>                       | 120          | D'Ering   | 6  | n   |
| GARGANEY <i>Anas querquedula</i>                         | 2000         | Basad   | 6  | n   |
| COMMON TEAL <i>Anas crecca</i>                           | 120-140      | D'Ering   | 6  | c   |
| FERRUGINOUS POCHARD <i>Aythya nyroca</i>                 | 120          | D'Ering   | 5  | n   |
| TUFTED DUCK <i>Aythya fuligula</i>                       | 120          | D'Ering   | 6  | n   |
| COMMON GOLDENEYE <i>Bucephala clangula</i>               | 120          | D'Ering   | 6  | n   |
| COMMON MEGANSER <i>Mergus merganser</i>                  | 120-350      | D'Ering<br>Texu<br>Deban<br>Miao  | 6<br>6<br>6<br>6                                   | a<br>c<br>c<br>n                          |
| BUTTONQUAIL <i>Turnix</i>                                | 100-120      | D'Ering   | 7  | c   |
| YELLOW-KUMPED HONEYGUIDE <i>Indicator xanthonotus</i>    | 1450<br>1700 | Limeking<br>Pange   | 10<br>1b   | n<br>n                                    |
| EURASIAN WRYNECK <i>Jynx torquilla</i>                   | 150-1400     | Naharlagun<br>Kirsinghsa<br>Ditchu<br>Hayliang-Wallong  | 4/7<br>7<br>4<br>4/8                               | n<br>r<br>n<br>n                          |
| SPECKLED PICULET <i>Picumnus innominatus</i>             | 150-600      | Khellong<br>Khari<br>Simna Parvat<br>Ramsing<br>Giao Lake track                                     | 1a<br>1a<br>1a<br>1a<br>1a                         | n<br>n<br>n<br>c<br>n                     |

|  |           |  |  |  |
|--|-----------|--|--|--|
| WHITE-BROWED PICULET <i>Sasia ochracea</i>                 | 150-1800  | Khari<br>Yachuli<br>Ramsing<br>Kanijheel<br>Pange<br>Sejusa                                      | 1a<br>8<br>1a<br>1a<br>1b<br>1a                                | r<br>n<br>r<br>n<br>n<br>n                     |
| GREY-CAPPED WOODPECKER <i>Dendrocopos canicapillus</i>     | 120       |  |  |  |
| FULVOUS-BREASTED WOODPECKER <i>Dendrocopos macei</i>       | 150-700   | Bandardewa<br>Roing<br>Namsai<br>Hornbill  | 2p<br>2p<br>2p<br>1a   | n<br>n<br>n<br>n                               |
| RUFOUS-BELLIED WOODPECKER <i>Dendrocopos hyperythrus</i>   | 2000-3300 | Majha<br>Hotspring<br>Kundav   | 1c<br>1c/1d  | n<br>n   |
| CRIMSON-BREASTED WOODPECKER <i>Dendrocopos cathpharius</i> | 1800      | Dambuin  | 2b/2c  | n  |
| DARJEELING WOODPECKER <i>Dendrocopos darjellensis</i>      | 1600-3700 | Chirila<br>Chakoo road<br>Talley valley<br>Mipi  | 1d<br>1e<br>2b   | n<br>c<br>n                                    |
| RUFOUS WOODPECKER <i>Celeus brachyurus</i>                 | 120-700   | Khellong<br>Khari<br>Ramsing<br>D'Ering<br>Hornbill  | 1a<br>1a<br>1a<br>7<br>1a                                      | n<br>n<br>c<br>n<br>n                          |
| LESSER YELLOWNAPE <i>Picus chlorolophus</i>                | 120-2000  | U  | 1a/1b/1d/2a/2b   | c  |
| GREATER YELLOWNAPE <i>Picus flavinucha</i>                 | 120-500   | U  | 1a/2a  | c  |
| GREY-HEADED WOODPECKER <i>Picus canus</i>                  | 150-1500  | Khellong<br>Khari<br>Itanagar<br>Chessa<br>Ramsing<br>Anini                                      | 1a/2a<br>1a<br>1a/2a<br>1a<br>1a<br>2b                         | n<br>n<br>n<br>c<br>n<br>n                     |
| GREATER FLAMEBACK <i>Chrysocolaptes lucidus</i>            | 150-350   | Rowta<br>Khari<br>Namora<br>Itanagar   | 2a<br>1a<br>2a<br>1a/2a/2p                                     | n<br>c<br>n<br>c                               |
| PALE-HEADED WOODPECKER <i>Gecinulus grantia</i>            | 200-600   | Khellong<br>Tipi   | 1a/2a<br>2a  | n<br>n   |
| BAY WOODPECKER <i>Blythipicus pyrrhotis</i>                | 160-1500  | Pange<br>Ramsing<br>Deban-Hornbill<br>Etalin-Malinye   | 1b<br>1a<br>1a<br>1b   | n<br>n<br>c<br>n                               |
| GREAT SLATY WOODPECKER <i>Mulleripicus pulverulentus</i>   | 200       | Khari<br>Tezu  | 1a<br>2a   | n<br>c   |
| GREAT BARBET <i>Megalaima virens</i>                       | 150-3000  | Sessni<br>Sessa<br>Tipi<br>Khari<br>Deban<br>Helmet Top<br>Hornbill<br>Malinye<br>Pange          | 1b<br>1b<br>1a/2a<br>1a<br>1a<br>1a<br>1d<br>1a<br>1b<br>1b/1d | c<br>c<br>n<br>c<br>c<br>c<br>c<br>n<br>n<br>n |
| LINEATED BARBET <i>Megalaima lineata</i>                   | 150-350   | Foothills<br>Khari<br>Namsai<br>Tezu<br>Miao-Deban   | 2a<br>1a<br>2p<br>1a/2a<br>1a/2a                               | n<br>c<br>r<br>n<br>n                          |
| GOLDEN-THROATED BARBET <i>Megalaima franklinii</i>         | 600-1400  | Chakoo road<br>Limeking<br>Ramsing<br>Giao Lake track<br>Roing-Mayodia<br>Sessa<br>Tezu-Hayliang | 1b<br>1b<br>1a<br>1a<br>1a<br>1b<br>1b                         | n<br>n<br>n<br>n<br>n<br>n<br>n                |
| BLUE-THROATED BARBET <i>Megalaima asiatica</i>             | 120-1100  | U  | 1a/1b/2a/2b  | c  |
| BLUE-EARED BARBET <i>Megalaima australis</i>               | 150-200   | Doinmara<br>Sejusa   | 2a<br>1a   | n<br>n   |

|   |           |  |   |   |
|---|-----------|--|---|---|
| COPPERSMITH BARBET <i>Megalaima haemacephala</i>        | 150-200   | Foothills<br>Naharlagun  | 2a<br>2a  | n<br>n  |
| ORIENTAL PIED-HORNBILL <i>Anthracobelus albirostris</i> | 150-300   | Tipi<br>Khari<br>Basar Nala<br>Dibrus  | 1a/2a<br>1a<br>2a<br>2a   | n<br>c<br>c<br>n  |
| GREAT HORNBILL <i>Buceros bicornis</i>                  | 120-500   | foothills<br>Tipi<br>Sejusa<br>Khari<br>Upper Dikroi<br>Namora<br>Itanagar<br>Tezu<br>Deban-Hornbill   | 1a/2a<br>1a/2a<br>1a/2a/p<br>1a<br>1a<br>2a<br>1a/2a<br>1a/2a<br>1a                 | a<br>a<br>c<br>c<br>c<br>n<br>c<br>c<br>n                     |
| BROWN HORNBILL <i>Anorrhinus tickelli</i>               | 500       | Deban  | 1a  | n   |
| RUFFOUS-NECKED HORNBILL <i>Aceros nipalensis</i>        | 120-1700  | Kheilong<br>Keegut<br>Giao Lake<br>Deban<br>Pange<br>Tezu-Hayliang<br>Sessa<br>Tipi<br>Mehao lake track  | 1a/2a<br>2a<br>1b<br>1a<br>1b<br>1b<br>1b<br>2a<br>1a                               | c<br>n<br>r<br>c<br>n<br>n<br>n<br>n                          |
| WREATHED HORNBILL <i>Aceros undulatus</i>               | 150-450   | Rowta<br>Doimara<br>Khellong<br>Tipi<br>Sejusa<br>Khari<br>Upper Dikroi<br>Itanagar<br>Deban   | 2a<br>2a<br>1a<br>1a/2a<br>1a/2a/p<br>1a<br>1a<br>1a/2a<br>1a                       | n<br>c<br>c<br>a<br>c<br>a<br>c<br>n<br>n                     |
| EURASIAN HOPOE <i>Upupa epops</i>                       | 150-3300  | Towang<br>Thingbu<br>Sange<br>Itanagar<br>Ramsing<br>Wallong<br>Khari  | 4<br>4<br>4<br>4<br>4<br>4<br>4   | n<br>n<br>n<br>n<br>n<br>n<br>n                               |
| RED-HEADED TROGON <i>Harpactes erythrocephalus</i>      | 200-1800  | Chakoo road<br>Sessa<br>Tipi<br>Khari<br>Simma Parvat<br>Itanagar<br>Chess<br>Migging<br>Ramsing<br>Anini<br>Tezu<br>Giao Lake<br>Deban-Hornbill<br>Mehao lake track | 1a<br>1b<br>1a<br>1a<br>1a<br>1a<br>1a<br>1a<br>1a<br>1b<br>1a<br>1b<br>1a<br>1a/1b | c<br>n<br>n<br>n<br>n<br>n<br>n<br>n<br>n<br>r<br>c<br>c<br>c |
| WARD'S TROGON <i>Harpactes wardi</i>                    | 2000-3000 | Chakoo<br>Alinye<br>Helmet Top   | 1d<br>1d<br>1d  | n<br>n<br>n   |
| INDIAN ROLLER <i>Coracias benghalensis</i>              | 120-1500  | U  | 2a/2p/4/7/8   | c   |
| DOLLARBIRD <i>Eurystomus orientalis</i>                 | 200-350   | Khellong<br>Sejusa<br>Khari<br>Namora<br>Itanagar<br>Chess<br>Tezu   | 1a/2a<br>2a<br>1a<br>2a<br>1a/2a<br>2a<br>2a  | c<br>n<br>c<br>n<br>c<br>c<br>c                               |

|  |           |   |   |                                 |
|--|-----------|---|---|---------------------------------|
| COMMON KINGFISHER <i>Alcedo atthis</i>               | 120-400   | U<br>Khari<br>Scijsua<br>Namora<br>Itanagar<br>D'Ering<br>Tezu        | 5/6<br>5/6<br>5/6<br>5/6<br>5/6<br>5/6<br>5/6 | c<br>n<br>n<br>c<br>c<br>c<br>n |
| STORK-BILLED KINGFISHER <i>Pelargopsis capensis</i>  | 150-1100  | Namora<br>Sille<br>Giao Lake  | 5/6<br>5/6<br>6                               | n<br>n<br>n                     |
| RUDDY KINGFISHER <i>Halcyon coromanda</i>            | 200       | Tezu  | 2p  | n                               |
| WHITE-THROATED KINGFISHER <i>Halcyon smyrnensis</i>  | 120-1100  | U   | 5/6   | c                               |
| BLACK-CAPPED KINGFISHER <i>Halcyon pileata</i>       | 150-3300  | foothills<br>Hotspring  | 4<br>skin                                     | n<br>n                          |
| CRESTED KINGFISHER <i>Megaceryle lugubris</i>        | 120-350   | Doimara<br>Namora<br>Tipi<br>Upper Dikroi<br>Gleushang<br>Deban       | 6<br>6<br>6<br>6<br>6<br>6                    | n<br>n<br>n<br>n<br>n<br>n      |
| PIED KINGFISHER <i>Ceryle rudis</i>                  | 120-200   | Khari<br>Sejusa<br>D'Ering<br>Tezu<br>Naharlagun                      | 6<br>6<br>6<br>6<br>6                         | n<br>c<br>c<br>n<br>n           |
| BLUE-BEarded BEE-EATER <i>Nyctyornis athertoni</i>   | 150-1200  | Khari<br>Anini<br>Sejusa<br>Deban-Hornbill                            | 1a<br>2b<br>2p<br>1a                          | c<br>n<br>n<br>n                |
| LITTLE GREEN BEE-EATER <i>Merops orientalis</i>      | 120       | D'Ering   | 7   | c                               |
| BLUE-TAILED BEE-EATER <i>Merops philippinus</i>      | 120-150   | Chess<br>Sejusa   | 2a<br>2p                                      | c<br>n                          |
| CHESTNUT-HEADED BEE-EATER <i>Merops leschenaulti</i> | 150-300   | Tipi<br>Sejusa<br>Namora<br>Itanagar                                  | 4<br>4<br>4<br>4                              | n<br>n<br>n<br>n                |
| CHESTNUT-WINGED CUCKOO <i>Clamator coromandus</i>    | 250-1600  | Itanagar<br>Tezu<br>Hapoli-Pange                                      | 2p<br>1a<br>2b                                | r<br>n<br>n                     |
| LARGE HAWK-CUCKOO <i>Cuculus sparverioides</i>       | 450-2900  | Sesni<br>Itanagar<br>Pangc-Talley valley 1b/1d/1c                     | 1b<br>1a/2a<br>1a/2a                          | c<br>n<br>c                     |
| COMMON HAWK-CUCKOO <i>Cuculus varius</i>             | 200-1200  | Sesni<br>Tezu   | 2p<br>1a/2a                                   | c<br>c                          |
| INDIAN CUCKOO <i>Cuculus micropterus</i>             | 200-2600  | Tipi<br>Basar Nala<br>Simma Parvat<br>Itanagar<br>Naharlagun<br>Sessa | 1a/2a<br>1a/2a<br>1a/2a<br>2p<br>2a<br>1b     | c<br>c<br>c<br>c<br>c<br>n      |
| ORIENTAL CUCKOO <i>Cuculus saturatus</i>             | 1800-2700 | Bomdilla<br>Chakoo<br>Pangc-Talley valley 1b/1d/1c                    | 1d<br>1d<br>1d<br>1d<br>1d<br>1d              | n<br>n<br>c<br>c<br>c<br>c      |
| ASIAN EMERALD CUCKOO <i>Chrysococcyx maculatus</i>   | 2200      | Talley valley   | 1d  | n                               |
| VIOLET CUCKOO <i>Chrysococcyx xanthorhynchos</i>     | 170-2300  | Jang<br>Namora  | 2d<br>1a/2a                                   | n<br>n                          |
| DRONGO CUCKOO <i>Surniculus lugubris</i>             | 200-300   | Itanagar<br>Jairampur   | 2a<br>2a                                      | n<br>n                          |
| ASIAN KOEL <i>Eudynamys scolopacea</i>               | 150-250   | Chess<br>Naharlagun   | 2p<br>2a/2p                                   | n<br>c                          |
| GREEN-BILLED MALKOH <i>Phaenicophaeus tristis</i>    | 120-400   | Khari<br>Itanagar<br>Chess<br>Naharlagun<br>Roing                     | 1a<br>1a/2a<br>1a<br>2a<br>2a                 | c<br>n<br>n<br>n<br>n           |
| GREATER COUCAL <i>Centropus sinensis</i>             | 400       | Deban   | 8   | n                               |

|  |                 |  |   |                            |
|--|-----------------|--|---|----------------------------|
| LESSER COUCAL <i>Centropus bengalensis</i>                 | 150-300         | foothills<br>Sejusa<br>Namora<br>Itanagar<br>Tezu<br>Miao-Deban      | 4<br>2a/5/8<br>4<br>2a/5<br>2a/5/7<br>8 | c<br>c<br>c<br>n<br>n<br>n |
| VERNAL HANGING-PARROT <i>Loriculus vernalis</i>            | 120-150         | Khari<br>Sejusa  | 2a<br>2a                                | n<br>n                     |
| GREY-HEADED PARAKEET <i>Psittacula finschii</i>            | 300-1000        | Basar Nala<br>Jengging   | 2a<br>1a/2a                             | n<br>n                     |
| DERBYAN PARAKEET <i>Psittacula derbiana</i>                | 3300            | Hotspring  | 1e/2e                                   | c                          |
| RED-BREASTED PARAKEET <i>Psittacula alexandri</i>          | 120-150         | Sejusa<br>Namora<br>Chessa<br>Namsai                                 | 2p<br>2a<br>2a<br>2p                    | n<br>n<br>n<br>n           |
| HIMALAYAN SWIFTLET <i>Collocalia brevirostris</i>          | 700-3500        | Sessa<br>Glenchang<br>Hotspring<br>Pange<br>Hornbill<br>Hunli-Etalin | 11<br>11<br>11<br>11<br>11<br>11        | n<br>n<br>c<br>n<br>n<br>n |
| SILVER-BACKED NEEDLETAIL <i>Hirundapus cochinchinensis</i> | 2400<br>1200    | Talley Valley<br>Yachuli   | 11<br>11                                | n<br>n                     |
| ASIAN PALM-SWIFT <i>Cypsiurus balasiensis</i>              | 150             | Sejusa   | 11                                      | n                          |
| FORK-TAILED SWIFT <i>Apus pacificus</i>                    | 150-3300        | Towang<br>Thingbu<br>Khari   | 11<br>11<br>11                          | c<br>n<br>n                |
| MOUNTAIN SCOPS-OWL <i>Otus spilocephalus</i>               | 650<br>1850     | Hornbill<br>Pange  | 1a<br>1b/1d                             | n<br>c                     |
| COLLARED SCOPS-OWL <i>Otus bakkamoena</i>                  | 200-650         | Hornbill<br>Naharlagun   | 1a<br>4                                 | n<br>n                     |
| EAGLE-OWL <i>Bubo bubo/bengalensis</i>                     | 1850            | Pange  | 1b/1d                                   | n                          |
| BROWN WOOD-OWL <i>Strix leptogrammica</i>                  | 2300            | Taksing  | 1e                                      | n                          |
| TAWNY OWL <i>Strix aluco</i>                               | 1100            | Giao Lake  | 1b                                      | n                          |
| COLLARED OWLET <i>Glaucidium brodiei</i>                   | 1200-2700       | Talley valley<br>Yachuli<br>Roing-Mayodia                            | 1e<br>2c<br>1b/1d                       | n<br>n<br>n                |
| ASIAN BARRED OWLET <i>Glaucidium cuculoides</i>            | 200-1800        | Tezu<br>Giao Lake<br>Pange<br>Etalin-Malinye                         | 1a/2a<br>1b<br>1b/1d<br>2b              | c<br>n<br>n<br>n           |
| JUNGLE OWLET <i>Glaucidium radiatum</i>                    | 180-1850        | Upper Dikroi<br>Itanagar<br>Yachuli<br>Pange                         | 1a<br>2p<br>2c<br>1b/1d                 | n<br>c<br>n<br>n           |
| BROWN HAWK-OWL <i>Ninox scutulata</i>                      | 600-700<br>1850 | Hornbill<br>Pange  | 1a<br>1b/1d                             | c<br>n                     |
| GREAT BARED-NIGHTJAR <i>Eurostopodus macrotis</i>          | 200             | Naharlagun   | 4                                       | n                          |
| GREY NIGHTJAR <i>Caprimulgus indicus</i>                   | 150             | D'Ering  | 7                                       | n                          |
| LARGE-TAILED NIGHTJAR <i>Caprimulgus macrurus</i>          | 1650<br>2300    | Mehao lake<br>Talley Valley  | 1b/6<br>1d                              | n<br>n                     |
| INDIAN NIGHTJAR <i>Caprimulgus asiaticus</i>               | 700-900         | Jengging<br>D'Ering<br>Roing-Mayodia                                 | 2a/4<br>7<br>1b                         | c<br>n<br>n                |
| ROCK PIGEON <i>Columba livia</i>                           | 100             | Miao   | 11                                      | n                          |
| SNOW PIGEON <i>Columba leuconota</i>                       | 3300-3800       | Thingbu<br>Churna<br>Sella   | 4<br>4<br>9                             | c<br>c<br>c                |
| SPECKLED WOOD-PIGEON <i>Columba hodgsonii</i>              | 1100-4000       | Broksar<br>Mago<br>Aline<br>Giao Lake                                | 1d<br>1e<br>1b<br>1b                    | n<br>n<br>n<br>n           |
| ASHY WOOD-PIGEON <i>Columba pulchricollis</i>              | 1800-2400       | Talley valley<br>Pange   | 1e<br>1b/1d                             | n<br>n                     |

|   |          |   |   |  |
|---|----------|---|---|--|
| ORIENTAL TURTLE-DOVE <i>Streptopelia orientalis</i>   | 120-3400 | Towang<br>Jang<br>Thingbu<br>Mago<br>Kheiliang<br>Itanagar<br>Jengging<br>Sejusa                                | 4<br>4<br>4<br>4<br>2a/4<br>2a/2p/4<br>4<br>2a/4                              | c<br>n<br>n<br>c<br>c<br>c<br>c<br>c           |
| SPOTTED DOVE <i>Streptopelia chinensis</i>            | 120-1900 | U   | 2a/2b/4/11  | c  |
| RED COLLARED-DOVE <i>Streptopelia tranquebarica</i>   | 120      | D'Ering   | 7   | c  |
| EURASIAN COLLARED-DOVE <i>Streptopelia decaocto</i>   | 120      | D'Ering   | 4   | n  |
| BARRED CUCKOO-DOVE <i>Macropygia unchall</i>          | 150-2500 | Broksar<br>foothills<br>Chakoo<br>Sejusa<br>Hornbill  | 1d<br>1a<br>1d<br>1a<br>1a  | n<br>n<br>n<br>n<br>c                          |
| EMERALD DOVE <i>Chalcophaps indica</i>                | 120-600  | U   | 1a/2a   | c  |
| POMPADOUR GREEN-PIGEON <i>Treron pompadoura</i>       | 150      | Khari   | 2a  | c  |
| THICK-BILLED GREEN-PIGEON <i>Treron curvirostra</i>   | 140-300  | Itanagar<br>Chessa<br>Sejusa  | 2a<br>2a<br>1a  | n<br>n<br>c                                    |
| PIN-TAILED GREEN-PIGEON <i>Treron apicauda</i>        | 150-700  | Foothills<br>Chakoo road<br>Tipi<br>Khari<br>Sejusa<br>Itanagar<br>Chessa<br>Tezu<br>Deban<br>Roing<br>Hornbill | 1a/2a<br>1a<br>2a<br>1a<br>1a/2a<br>2a<br>1a/2a<br>1a<br>1a<br>1a<br>1a<br>1a | c<br>c<br>c<br>c<br>c<br>c<br>c<br>a<br>n<br>n |
| WEDGE-TAILED GREEN-PIGEON <i>Treron sphenura</i>      | 150-2400 | foothills<br>Talley valley<br>Jengging<br>Etilan-Malinye  | 2a<br>1e/2d<br>1a/2a<br>1b  | c<br>n<br>n<br>n                               |
| GREEN IMPERIAL-PIGEON <i>Ducula aenea</i>             | 120-200  | Upper Dikroi<br>Tezu  | 1a<br>1a/2a   | n<br>c   |
| MOUNTAIN IMPERIAL-PIGEON <i>Ducula badia</i>          | 120-1800 | U   | 1a/2a   | a  |
| BENGAL FLORICAN <i>Eupodotis bengalensis</i>          | 120      | D'Ering   | 7   | n  |
| BROWN CRAKE <i>Amaurornis akool</i>                   | 140      | Chessa  | 5   | n  |
| WHITE-BREASTED WATERHEN <i>Amaurornis phoenicurus</i> | 150      | Namsai  | 5   | n  |
| BLACK-TAILED CRAKE <i>Amaurornis bicolor</i>          | 1800     | Pange   | 5   | n  |
| COMMON MOORHEN <i>Gallinula chloropus</i>             | 120      | D'Ering   | 7   | n  |
| EURASIAN WOODCOCK <i>Scotopax rusticola</i>           | 1100     | Orak  | 1b  | n  |
| BLACK-TAILED GODWIT <i>Limosa limosa</i>              | 120-150  | Khari<br>Namora<br>D'Ering  | 6<br>6<br>6   | c<br>n<br>c                                    |
| COMMON GREENSHANK <i>Tringa nebularia</i>             | 100-200  | D'Ering<br>Sejusa<br>Miao   | 6<br>6<br>6   | c<br>n<br>n                                    |
| GREEN SANDPIPER <i>Tringa ochropus</i>                | 120-200  | Upper Dikroi<br>Naharlagun<br>Naharlagun  | 6<br>6<br>6   | n<br>n<br>n                                    |
| COMMON SANDPIPER <i>Tringa hypoleucus</i>             | 120-2250 | Jang<br>Namora<br>D'Ering<br>Tezu<br>Sejusa<br>Deban  | 6<br>6<br>6<br>6<br>6<br>6  | n<br>n<br>c<br>n<br>n<br>n                     |
| GREAT THICK-KNEE <i>Burhinus recurvirostris</i>       | 120      | D'Ering   | 7   | n  |
| IBISBILL <i>Ibidorhyncha struthersii</i>              | 100      | Miao  | 6   | n  |
| LITTLE RINGED PLOVER <i>Charadrius dubius</i>         | 120-200  | Upper Dikroi<br>Namora<br>D'Ering<br>Naharlagun<br>Tezu   | 6<br>6<br>6<br>6<br>6   | c<br>n<br>n<br>n<br>n                          |
| NORTHERN LAPWING <i>Vanellus vanellus</i>             | 120      | D'Ering   | 4   | n  |

|                         |                                |           |                     |       |   |
|-------------------------|--------------------------------|-----------|---------------------|-------|---|
| RIVER LAPWING           | <i>Vanellus duvaucelii</i>     | 120-300   | U                   | 5/6   | c |
| RED-WATTLED LAPWING     | <i>Vanellus indicus</i>        | 100-200   | Namora              | 5/6   | c |
|                         | D'Ering                        | 5/6       | c                   |       |   |
|                         | Tezu                           | 5/6       | c                   |       |   |
|                         | Sejusa                         | 6         | n                   |       |   |
|                         | Naharlagun                     | 6         | n                   |       |   |
|                         | Miao                           | 6         | n                   |       |   |
| SMALL PRATINCOLE        | <i>Glareola lactea</i>         | 100-150   | Sejusa              | 6     | c |
|                         | D'Ering                        | 6         | n                   |       |   |
| GREAT BLACK-HEADED GULL | <i>Larus ichthyaetus</i>       | 120-350   | Tezu                | 6     | n |
|                         | Deban                          | 6         | n                   |       |   |
|                         | D'Ering                        | 6         | n                   |       |   |
|                         | Namora                         | 6         | n                   |       |   |
| BROWN-HEADED GULL       | <i>Larus brunnicephalus</i>    | 120       | D'Ering             | 6     | n |
| RIVER TERN              | <i>Sterna aurantia</i>         | 120-150   | Sejusa              | 6     | c |
|                         | D'Ering                        | 6         | a                   |       |   |
|                         | Tezu                           | 6         | c                   |       |   |
| BLACK-BELLIED TERN      | <i>Sterna acuticauda</i>       | 120-150   | D'Ering             | 6     | c |
|                         | Tezu                           | 6         | n                   |       |   |
| OSPREY                  | <i>Pandion haliaetus</i>       | 120-1100  | Sejusa              | 6     | n |
|                         | D'Ering                        | 6         | n                   |       |   |
|                         | Giao Lake                      | 6         | n                   |       |   |
| JERDON'S BAZA           | <i>Aviceda jerdoni</i>         | 140       | Khari               | 1a    | r |
| ORIENTAL HONEY-BUZZARD  | <i>Pernis ptilorhynchus</i>    | 140       | Khari               | 1a    | n |
| BLACK-WINGED KITE       | <i>Elanus caeruleus</i>        | 120-150   | D'Ering             | 7     | c |
| BLACK KITE              | <i>Milvus migrans</i>          | 200-1100  | Naharlagun          | 4     | n |
|                         | Tezu                           | 4         | n                   |       |   |
|                         | Wallong                        | 4/6       | n                   |       |   |
| BLACK-EARED KITE        | <i>Milvus lineatus</i>         | 150       | Naharlagun          | 11    | n |
| WHITE-TAILED EAGLE      | <i>Haliaeetus albicilla</i>    | 100-350   | D'Ering             | 6     | r |
|                         | Deban                          | 11        | n                   |       |   |
| LESSER FISH-EAGLE       | <i>Ichthyophaga humilis</i>    | 350       | Deban               | 11    | n |
| GREY-HEADED FISH-EAGLE  | <i>Ichthyaetus ichthyaetus</i> | 120       | D'Ering             | 7     | n |
| WHITE-RUMPED VULTURE    | <i>Gyps bengalensis</i>        | 140-160   | Sejusa              | 2a    | n |
|                         | Namsai                         | 2p/4      | c                   |       |   |
| LONG-BILLED VULTURE     | <i>Gyps indicus</i>            | 150-200   | Naharlagun          | 1a/4  | n |
|                         | Pasighat                       | 2p/4      | c                   |       |   |
|                         | Namsai                         | 2p        | n                   |       |   |
| HIMALAYAN GRIFFON       | <i>Gyps himalayensis</i>       | 3300      | Thingbu             | 11    | c |
| EURASIAN GRIFFON        | <i>Gyps fulvus</i>             | 2500      | Mayodia             | 11    | n |
| SHORT-TOED SNAKE-EAGLE  | <i>Circaetus gallicus</i>      | 120       | D'Ering             | 11    | n |
| CRESTED SERPENT-EAGLE   | <i>Spilornis cheela</i>        | 120-700   | U                   | 1a/2a | c |
| WESTERN MARSH-HARRIER   | <i>Circus aeruginosus</i>      | 1400      | Kibitho             | 2c/7  | n |
| NORTHERN HARRIER        | <i>Circus cyaneus</i>          | 100-150   | Migging             | 4     | n |
|                         | Pangin                         | 4         | c                   |       |   |
|                         | Pasighat                       | 4         | c                   |       |   |
| PIED HARRIER            | <i>Circus melanoleucus</i>     | 120-150   | D'Ering             | 7     | c |
|                         | Sejusa                         | 11        | n                   |       |   |
| CRESTED GOSHAWK         | <i>Accipiter trivirgatus</i>   | 1800      | Suchung             | 1b    | n |
| SHIKRA                  | <i>Accipiter badius</i>        | 120-600   | Naharlagun          | 4/5   | c |
|                         | Ramsing                        | 2a        | n                   |       |   |
|                         | D'Ering                        | 7         | c                   |       |   |
| BESRA                   | <i>Accipiter virgatus</i>      | 1100-2000 | Tenga-Bomdilla road | 4/8   | n |
|                         | Giao Lake                      | 1b        | n                   |       |   |
| EURASIAN SPARROWHAWK    | <i>Accipiter nisus</i>         | 150-3500  | Hotspring           | 1c    | n |
|                         | Sejusa                         | 1a        | n                   |       |   |
| NORTHERN GOSHAWK        | <i>Accipiter gentilis</i>      | 300       | Balamau             | 2a    | n |
| COMMON BAZZARD          | <i>Buteo buteo</i>             | 2500-3600 | Hotspring           | 3     | n |
|                         | Talley Valley                  | 11        | n                   |       |   |
| BLACK EAGLE             | <i>Ictinaetus malayensis</i>   | 300-2500  | Khellong            | 1a    | n |
|                         | Itanagar Zoo                   | 1a        | c                   |       |   |
|                         | Pange                          | 11        | n                   |       |   |
|                         | Mayodia                        | 11        | n                   |       |   |
| GOLDEN EAGLE            | <i>Aquila chrysaetos</i>       | 1700-2500 | Taksing-Redding     | 11    | n |
|                         | Suchung                        | 1b/1c     | n                   |       |   |
|                         | Malinje                        | 11        | n                   |       |   |
|                         | Mayodia                        | 11        | n                   |       |   |
| CHANGEABLE HAWK-EAGLE   | <i>Spizaetus cirrhatus</i>     | 200       | Tezu                | 4/2p  | c |

|                           |                                    |          |                 |       |   |
|---------------------------|------------------------------------|----------|-----------------|-------|---|
| MOUNTAIN HAWK-EAGLE       | <i>Spizaetus nipalensis</i>        | 120-1300 | Scijusa         | 1a    | n |
|                           |                                    |          | Sessa           | 11    | n |
| PIED FALCONET             | <i>Microhierax melanoleucus</i>    | 150-350  | Sejusa          | 2a    | n |
|                           |                                    |          | Itanagar        | 2a    | n |
|                           |                                    |          | Naharlagun      | 4     | n |
|                           |                                    |          | Deban           | 1a/2a | c |
| LESSER KESTREL            | <i>Falco naumanni</i>              | 200      | Naharlagun      | 4     | n |
| COMMON KESTREL            | <i>Falco tinnunculus</i>           | 120      | D'Ering         | 4     | n |
| AMUR FALCON               | <i>Falco amurensis</i>             | 150-300  | Naharlagun      | 2p/4  | a |
| MERLIN                    | <i>Falco columbarius</i>           | 100      | D'Ering         | 6     | n |
| EURASIAN HOBBY            | <i>Falco subbuteo</i>              | 1200     | Wallong         | 1c    | n |
| ORIENTAL HOBBY            | <i>Falco severus</i>               | 200      | Naharlagun      | 4     | n |
| LITTLE GREBE              | <i>Tachybaptus ruficollis</i>      | 120      | D'Ering         | 6     | c |
| GREAT CRESTED GREBE       | <i>Podiceps cristatus</i>          | 120      | D'Ering         | 6     | a |
| ORIENTAL DARTER           | <i>Anhinga melanogaster</i>        | 120      | D'Ering         | 6     | n |
| LITTLE CORMORANT          | <i>Phalacrocorax niger</i>         | 120-150  | Namora          | 6     | c |
|                           |                                    |          | D'Ering         | 6     | a |
| INDIAN CORMORANT          | <i>Phalacrocorax fuscicollis</i>   | 120      | D'Ering         | 6     | c |
| GREAT CORMORANT           | <i>Phalacrocorax carbo</i>         | 120-1500 | Tipi            | 6     | c |
|                           |                                    |          | Sejusa          | 6     | c |
|                           |                                    |          | Nacho-Orak      | 6     | c |
|                           |                                    |          | D'Ering         | 6     | a |
|                           |                                    |          | Anini           | 6     | n |
|                           |                                    |          | Tezu            | 6     | c |
|                           |                                    |          | Wallong         | 6     | n |
|                           |                                    |          | Deban           | 6     | n |
|                           |                                    |          | Ecalin          | 6     | n |
| LITTLE EGRET              | <i>Egretta garzetta</i>            | 120-200  | Sejusa          | 6     | c |
|                           |                                    |          | Namora          | 6     | n |
|                           |                                    |          | D'Ering         | 5/6   | c |
|                           |                                    |          | Namsai          | 5     | n |
|                           |                                    |          | Chopai          | 6     | n |
|                           |                                    |          | Naharlagun      | 6     | n |
| GREY HERON                | <i>Ardea cinerea</i>               | 120-200  | D'Ering         | 6     | c |
|                           |                                    |          | Tezu            | 6     | n |
| GREAT EGRET               | <i>Casmerodius albus</i>           | 120-150  | Kirsinghsa      | 6     | n |
| INTERMEDIATE EGRET        | <i>Mesophoyx intermedia</i>        | 120-150  | Namsai          | 5     | n |
|                           |                                    |          | D'Ering         | 6     | r |
| CATTLE EGRET              | <i>Bubulcus ibis</i>               | 120-200  | U               | 4/5   | c |
| INDIAN POND-HERON         | <i>Ardeola grayii</i>              | 120-200  | U               | 5/6   | c |
| STRIATED HERON            | <i>Butorides striatus</i>          | 100-200  | Tipi            | 6     | n |
|                           |                                    |          | Khari           | 6     | n |
|                           |                                    |          | Namora          | 6     | n |
|                           |                                    |          | Tezu            | 6     | c |
|                           |                                    |          | Chopai          | 6     | n |
|                           |                                    |          | D'Ering         | 6     | n |
| BLACK-CROWNED NIGHT-HERON | <i>Nycticorax nycticorax</i>       | 200      | Tezu            | 6     | r |
| CINNAMON BITTERN          | <i>Ixobrychus cinnamomeus</i>      | 150      | Kirsinghsa      | 7     | n |
| BLACK-HEADED Ibis         | <i>Threskiornis melanocephalus</i> | 120      | Khari           | 11    | n |
| BLACK STORK               | <i>Ciconia nigra</i>               | 120-140  | D'Ering         | 6     | n |
|                           |                                    |          | Khari           | 11    | n |
| WOOLLY-NECKED STORK       | <i>Ciconia episcopus</i>           | 150      | Namsai          | 11    | n |
| BLACK-NECKED STORK        | <i>Ephippiorhynchus asiaticus</i>  | 120      | D'Ering         | 5/6/7 | n |
| LESSER ADJUTANT           | <i>Leptoptilos javanicus</i>       | 120-150  | D'Ering         | 7     | n |
| SILVER-BREASTED BROADBILL | <i>Serilophus lunatus</i>          | 200-700  | Sejusa          | 1a    | n |
|                           |                                    |          | Itanagar        | 1a    | n |
|                           |                                    |          | Deban-Hornbill  | 1a    | c |
| LONG-TAILED BROADBILL     | <i>Psarisomus dalhousiae</i>       | 200-1800 | Khellong        | 1a/2a | n |
|                           |                                    |          | Chakoo road     | 1b/2b | n |
|                           |                                    |          | Tipi-Sessa road | 2a    | n |
|                           |                                    |          | Itanagar        | 2a    | n |
|                           |                                    |          | Naharlagun      | 2a    | n |
|                           |                                    |          | Jengging        | 2a    | c |
|                           |                                    |          | Pasighat        | 2a    | n |
|                           |                                    |          | Wakro           | 2a    | n |
|                           |                                    |          | Hornbill        | 1a    | n |

|  |           |   |  |  |
|--|-----------|---|--|--|
| ASIAN FAIRY-BLUEBIRD <i>Irena puella</i>               | 120-1000  | Rowta<br>foothills<br>Tipi<br>Sejusa<br>Khari<br>Itanagar<br>Jairampur<br>Deban-Hornbill  | 2a<br>2a<br>1a/2a<br>2p<br>1a<br>2a<br>1a  | n<br>c<br>c<br>c<br>c<br>c<br>n<br>c                     |
| BLUE-WINGED LEAFBIRD <i>Chloropsis cochinchinensis</i> | 350-700   | Deban-Ranjihel track  | 1a   | c  |
| GOLDEN-FRONTED LEAFBIRD <i>Chloropsis aurifrons</i>    | 150-400   | U   | 1a/2a/2p   | c  |
| ORANGE-BELLIED LEAFBIRD <i>Chloropsis hardwickii</i>   | 150-1800  | U   | 1a/1b/2a/2b  | c  |
| BROWN SHRIKE <i>Lanius cristatus</i>                   | 150-3400  | Khellong  | 4/8  | n  |
|  |           | Tipi  | 5  | n  |
|  |           | Sejusa  | 2f   | n  |
|  |           | Chessa  | 8  | n  |
|  |           | Naharlagon  | 4  | n  |
|  |           | Ramsing   | 2a   | n  |
|  |           | Wallong   | 8  | n  |
|  |           | Hotsping  | 2e/4/8   | n  |
|  |           | Miao  | 8  | n  |
| LONG-TAILED SHRIKE <i>Lanius schach</i>                | 120-1800  | Sangti<br>New Khellong<br>D'Ering<br>Miao<br>Hapolii  | 8<br>4/8<br>4/5/7<br>8<br>8  | n<br>c<br>n<br>n<br>n                                    |
| GREY-BACKED SHRIKE <i>Lanius tephronotus</i>           | 120-3000  | U   | 4/5/7/8  | c  |
| EURASIAN JAY <i>Garrulus glandarius</i>                | 2000-2550 | Anini<br>Helmet Top<br>Mayodia  | 1e<br>1d<br>1e   | n<br>n<br>n  |
| GOLD-BILLED MAGPIE <i>Urocissa flavirostris</i>        | 1250-2700 | Chakoo<br>Talley valley<br>Taksing<br>Mayodia<br>Basad<br>Hunli   | 1d<br>1f<br>3/8<br>1d/8<br>1d<br>2b/8  | c<br>c<br>c<br>c<br>n<br>n                               |
| GREEN MAGPIE <i>Cissa chinensis</i>                    | 150-1900  | Khellong<br>Tipi<br>Khari<br>Itanagar<br>Naharlagon<br>Glemu<br>Ramsing<br>Tezu<br>Glao Lake<br>Miao-Hornbill<br>Yachuli<br>Etalin<br>Pange | 1a/2a<br>2a<br>1a<br>1a/2a<br>2a<br>1b<br>1a<br>2a<br>2b<br>1a/2a<br>8<br>2a<br>1d | c<br>n<br>r<br>r<br>r<br>n<br>n<br>r<br>n<br>n<br>n<br>n |
| RUFOUS TREEPIE <i>Dendrocitta vagabunda</i>            | 120       | U   | 2a/2p/2s/7   | c  |
| GREY TREEPIE <i>Dendrocitta formosae</i>               | 120-1800  | U   | 1a   | c  |
| COLLARED TREEPIE <i>Dendrocitta frontalis</i>          | 200-800   | Khellong<br>Deban<br>Roring   | 1a<br>1a<br>2a   | n<br>c<br>n  |
| SPOTTED NUTCRACKER <i>Nucifraga caryocatactes</i>      | 1800-3100 | Sela-Jang road<br>Thingbu<br>Chakoo<br>Mahja-Taksing<br>Dambuin<br>Hotsping<br>Maliniye   | 2e<br>2e<br>1d<br>1d<br>1b/2b<br>1e<br>1c  | n<br>c<br>n<br>c<br>c<br>n<br>n                          |
| RED-BILLED CHOUGH <i>Pyrrhocorax pyrrhocorax</i>       | 3300-3700 | Thingbu<br>Churna   | 4<br>9   | c<br>c   |
| YELLOW-BILLED CHOUGH <i>Pyrrhocorax graculus</i>       | 3300-3700 | Thingbu<br>Churna   | 4<br>9   | c<br>c   |
| HOUSE CROW <i>Corvus splendens</i>                     | 120-200   | U   | 4  | r  |
| LARGE-BILLED CROW <i>Corvus macrorhynchos</i>          | 100-3800  | U   | All but 6  | c  |
| ASHY WOODSWALLOW <i>Artamus fuscus</i>                 | 120-300   | U   | 2a/2p/4/7/8  | c  |

|                              |                                  |          |                       |                       |
|------------------------------|----------------------------------|----------|-----------------------|-----------------------|
| SLENDER-BILLED ORIOLE        | <i>Oriolus tenuirostris</i>      | 200      | Dimbey                | 2s                    |
| BLACK-HOODED ORIOLE          | <i>Oriolus xanthornus</i>        | 120-300  | U                     | 2a/2p                 |
| MAROON ORIOLE                | <i>Oriolus traillii</i>          | 150-3100 | Jang-Thingbu-Mago     | 1c/2d                 |
|                              |                                  |          | Sesni                 | 1b                    |
|                              |                                  |          | Khari                 | 1a                    |
|                              |                                  |          | Sejussa               | 2a/2p                 |
|                              |                                  |          | Pange                 | 1b                    |
|                              |                                  |          | Pasighat              | 2a                    |
|                              |                                  |          | Tezu                  | 1a/2a                 |
|                              |                                  |          | Deomali               | 1a                    |
|                              |                                  |          | Roing                 | 2a                    |
|                              |                                  |          | Deban-Hornbill        | 1a                    |
|                              |                                  |          | Miao                  | 2a                    |
| LARGE CUCKOOSHRIKE           | <i>Coracina macei</i>            | 150-600  | Upper Dikroi          | 8                     |
|                              |                                  |          | Namora                | 2a                    |
|                              |                                  |          | Chessa                | 2p                    |
|                              |                                  |          | Ramsing               | 2a                    |
|                              |                                  |          | Namsai                | 2p                    |
|                              |                                  |          | Deban-Hornbill        | 1a                    |
| BLACK-WINGED CUCKOOSHRIKE    | <i>Coracina melaschistos</i>     | 150-700  | Deomali               | 1a/2a                 |
|                              |                                  |          | Khari                 | 1a                    |
|                              |                                  |          | Miao-Hornbill         | 1a                    |
| GREY-CHINNED MINIVET         | <i>Pericrocotus solaris</i>      | 120-2500 | Sesni                 | 1b                    |
|                              |                                  |          | Khari                 | 1a/2a                 |
|                              |                                  |          | Glenshang             | 1b                    |
|                              |                                  |          | Ramsing               | 1a                    |
|                              |                                  |          | Anini                 | 1b/2b                 |
|                              |                                  |          | Giao Lake             | 1b                    |
|                              |                                  |          | Simbe                 | 1e                    |
|                              |                                  |          | Talley Valley         | 1f                    |
|                              |                                  |          | Pange                 | 1b/1d/2p              |
|                              |                                  |          | Etalin-Malinye        | 1a                    |
| LONG-TAILED MINIVET          | <i>Pericrocotus ethologus</i>    | 150-2600 | Jang                  | 2p                    |
|                              |                                  |          | Thingbu               | 1f                    |
|                              |                                  |          | Talley valley         | 1c                    |
|                              |                                  |          | Scijusa               | 1a/2b                 |
| SHORT-BILLED MINIVET         | <i>Pericrocotus brevirostris</i> | 150-500  | Deomali               | 1a                    |
|                              |                                  |          | Khari                 | 1a                    |
|                              |                                  |          | Deban-Hornbill        | 1a                    |
| SCARLET MINIVET              | <i>Pericrocotus flammeus</i>     | 120-600  | U                     | 1a/2a                 |
| BAR-WINGED FLYCATCHER-SHRIKE | <i>Hemipus picatus</i>           | 400-1700 | Migging               | 1a                    |
|                              |                                  |          | Ramsing               | 1a                    |
|                              |                                  |          | Pange                 | 1b                    |
|                              |                                  |          | Hornbill              | 1a                    |
|                              |                                  |          | Roing                 | 2p                    |
| YELLOW-BELLIED FANTAIL       | <i>Rhipidura hypoxantha</i>      | 150-2900 | U                     | 1/2/3/8               |
| WHITE-THROATED FANTAIL       | <i>Rhipidura albicollis</i>      | 150-2700 | U                     | 1a/1b/1d/2a/2b/2d/5/8 |
|                              |                                  |          | Bomdilla              | 2d                    |
|                              |                                  |          | Chakoo road           | 1b                    |
|                              |                                  |          | Khari road            | 1a/2a                 |
|                              |                                  |          | Talley valley         | 1c/5                  |
|                              |                                  |          | Limeking-Choyo-Dubjum | 1b/1d/2b/2d           |
|                              |                                  |          | Giao Lake             | 1b                    |
|                              |                                  |          | Etalin-Malinye        | 1a/1b                 |
| BLACK DRONGO                 | <i>Dicrurus macrocercus</i>      | 100-300  | U                     | 2a/4/5/7/8            |
| ASHY DRONGO                  | <i>Dicrurus leucophaeus</i>      | 150-3000 | U                     | 1a/1b/1d/2a/2b/2d     |
| BRONZED DRONGO               | <i>Dicrurus aeneus</i>           | 120-1500 | Foothills             | 1a                    |
|                              |                                  |          | Sessa road            | 2a                    |
|                              |                                  |          | Khari                 | 1a                    |
|                              |                                  |          | Upper Dikroi          | 1a/2a                 |
|                              |                                  |          | Itanagar              | 1a/2a                 |
|                              |                                  |          | Taksing-Majha         | 1b/1d                 |
|                              |                                  |          | Tezu                  | 1a/2a                 |
|                              |                                  |          | Roing                 | 2b                    |
|                              |                                  |          | Deban                 | 1a/2a                 |
| LESSER RACKET-TAILED DRONGO  | <i>Dicrurus remifer</i>          | 100-1900 | U                     | 1a/1b                 |
| HAIR-CRESTED DRONGO          | <i>Dicrurus hottentotus</i>      | 100-1100 | U                     | 1a/1b/2a/2p           |
| GREATER RACKET-TAILED DRONGO | <i>Dicrurus paradiseus</i>       | 120-600  | U                     | 1a/2a                 |

|   |           |   |  |   |
|---|-----------|---|--|---|
| BLACK-NAPED MONARCH <i>Hypothymis azurea</i>              | 120-200   | foothills<br>Tipi<br>Sejusa<br>Pakhui WLS<br>Chessa   | 2a<br>2a<br>2p<br>1a/2a<br>1a                | n<br>n<br>n<br>r<br>n                     |
| ASIAN PARADISE-FLYCATCHER <i>Terpsiphone paradisi</i>     | 150-600   | Pakhui WLS<br>Itanagar<br>Ramsing   | 1a/2a/8<br>1a/2a/8<br>1a/2a                  | n<br>r<br>n                               |
| COMMON IORA <i>Aegithina tiphia</i>                       | 120-200   | Rowta<br>foothills<br>Tipi<br>Sejusa<br>Khari<br>D'Ering  | 2a<br>2a<br>2p<br>2p<br>1a/2a<br>7           | n<br>c<br>c<br>c<br>c<br>c                |
| LARGE WOODSHRIKE <i>Tephrodornis gularis</i>              | 150-600   | Doinara<br>Khari<br>Hornbill<br>Roing   | 2a<br>1a<br>1a<br>2p                         | n<br>n<br>c<br>n                          |
| COMMON WOODSHRIKE <i>Tephrodornis pondicerianus</i>       | 150-350   | Rowta<br>Tipi<br>Itanagar   | 2a<br>2a<br>1a                               | n<br>n<br>c                               |
| WHITE-THROATED DIPPER <i>Cinclus cinclus</i>              | 500-3500  | Majha<br>Pango<br>Hotspring<br>Suchung  | 6<br>6<br>6<br>6                             | c<br>n<br>c<br>n                          |
| BROWN DIPPER <i>Cinclus pallasi</i>                       | 200-2900  | Jang-Thingbu-Mago<br>Tipi<br>Nacho-Majha track<br>Mipi<br>Tezu<br>Giao Lake track<br>Kibitho<br>Roing<br>Etalin-Malinye | 6<br>6<br>6<br>6<br>6<br>6<br>6<br>6<br>6    | n<br>c<br>c<br>n<br>c<br>n<br>n<br>n<br>n |
| BLUE-CAPPED ROCK-THRUSH <i>Monticola cinclorhynchos</i>   | 1800      | Dirang  | 2p   | n   |
| CHESTNUT-BELLIED ROCK-THRUSH <i>Monticola rufiventris</i> | 800-2500  | Thingbu track<br>Bomdilla<br>Chakoo<br>Talley valley<br>Giao Lake<br>Hunli-Etalin<br>Etalin-Malinye                     | 1d<br>2d<br>1d<br>1d<br>2b<br>1c<br>1a<br>1a | n<br>n<br>n<br>n<br>n<br>n<br>n<br>n      |
| BLUE ROCK-THRUSH <i>Monticola solitarius</i>              | 150-1000  | Tipi<br>Khari<br>Tezu<br>Hayliang<br>Roing  | 6<br>6<br>6<br>8<br>6                        | c<br>n<br>c<br>n<br>n                     |
| BLUE WHISTLING-THRUSH <i>Myiophonus caeruleus</i>         | 150-3800  | U   | 1/2/6/8                                      | c   |
| ORANGE-HEADED THRUSH <i>Zoothera citrina</i>              | 120-600   | Ramsing   | 1a   | n   |
| PLAIN-RACKED THRUSH <i>Zoothera mollissima</i>            | 300-1800  | Sejusa<br>Wakro<br>Suchung  | 2p<br>2a<br>2b/2c                            | n<br>n<br>c                               |
| LONG-TAILED THRUSH <i>Zoothera dixoni</i>                 | 1900      | Pango   | 1b/1d  | r   |
| SCALY THRUSH <i>Zoothera dauma</i>                        | 300-2700  | Anini<br>Wakro<br>Suchung<br>Mayodia<br>Deban-Hornbill  | 1b<br>2a<br>2b/2c<br>1d<br>1a                | n<br>n<br>c<br>n<br>n                     |
| LONG-BILLED THRUSH <i>Zoothera monticola</i>              | 1700-2700 | Eagle's Nest<br>Dujbun  | 2e/8<br>1b                                   | c<br>r                                    |
| BLACK-BREASTED THRUSH <i>Turdus dissimilis</i>            | 1100      | Giao Lake   | 2b   | r   |
| WHITE-COLLARED BLACKBIRD <i>Turdus albocinctus</i>        | 2200-3450 | Broksar<br>Mago<br>Mayodia<br>Basad   | 8<br>1f<br>2d<br>1b                          | n<br>n<br>n<br>n                          |
| GREY-WINGED BLACKBIRD <i>Turdus boulboul</i>              | 120-2450  | Jang<br>Choyo-Majha track<br>Sejusa   | 2d/8<br>1d<br>2p                             | n<br>n<br>n                               |
| CHESTNUT THRUSH <i>Turdus rubrocanus</i>                  | 300-2700  | Mayodia<br>Wakro  | 2d<br>2a                                     | n<br>n                                    |

|   |           |   |  |   |
|---|-----------|---|--|---|
| DARK-THROATED THRUSH <i>Turdus ruficollis</i>         | 120       | Anchal Ghat   | 4  | c   |
| LESSER SHORTWING <i>Brachypteryx leucophrys</i>       | 3150      | Hotspring   | 1e   | n   |
| WHITE-BROWED SHORTWING <i>Brachypteryx montana</i>    | 2400-2600 | Eagle's Nest<br>Pange-Talley valley   | 8<br>1d/1e   | n<br>c  |
| DARK-SIDED FLYCATCHER <i>Muscicapa sibirica</i>       | 600-2700  | Broksar<br>Bomdilla<br>Chakoo<br>Sessa<br>Talley valley<br>Ramsing  | 2e<br>2d<br>1d/2d<br>2b<br>1e/2e<br>2a   | n<br>n<br>c<br>n<br>c<br>n                          |
| FERRUGINOUS FLYCATCHER <i>Muscicapa ferruginea</i>    | 150-2500  | Jang-Thingbu<br>Sessa<br>Pange<br>Sejusa  | 1d/2d<br>1b/2b<br>1b<br>1a   | n<br>n<br>c<br>n                                    |
| RUFOUS-GORGETED FLYCATCHER <i>Ficedula strophiata</i> | 150-3500  | Jang-Thingbu<br>Jang-Mago<br>Chakoo road<br>Sessa<br>Khari<br>Redding-Taksing<br>Anini<br>Hotspring<br>Pange-Talley Valley 1b/1d/f8<br>Etalin-Malinye | 1d<br>1d/1e/2d/2c/3/8<br>2b/8<br>1b<br>2a/8<br>3/8<br>2b<br>2e/3/8<br>2a/2b<br>1b/1c/8 | n<br>c<br>n<br>n<br>r<br>r<br>n<br>c<br>c<br>c      |
| RED-BREASTED FLYCATCHER <i>Ficedula parva</i>         | 150-3300  | Khellong<br>Tipi<br>Chessa<br>Itanagar<br>Wallong<br>Sejusa<br>Hotspring  | 2a/8<br>2a/8<br>8<br>2a<br>8<br>2a/2b<br>3   | c<br>c<br>c<br>c<br>c<br>c<br>n                     |
| WHITE-GORGETED FLYCATCHER <i>Ficedula monileger</i>   | 1200      | Sessa   | 1b   | n   |
| SNOWY-BROWED FLYCATCHER <i>Ficedula hyperythra</i>    | 400-2500  | Chakoo<br>Simbe<br>Pange<br>Deban-Hornbill  | 1d<br>1e<br>1d<br>1a   | n<br>n<br>n<br>n                                    |
| LITTLE PIED FLYCATCHER <i>Ficedula westermanni</i>    | 150-1850  | Khari<br>Upper Dikroi<br>Ramsing<br>Yachuli<br>Pange  | 2a<br>2a<br>2a<br>2c<br>2p   | n<br>n<br>n<br>c<br>n                               |
| ULTRAMARINE FLYCATCHER <i>Ficedula superciliaris</i>  | 1100      | Giao Lake   | 2b   | r   |
| SLATY-BLUE FLYCATCHER <i>Ficedula tricolor</i>        | 3500      | Hotspring   | 3/8  | c   |
| VERDITER FLYCATCHER <i>Eumyiias thalassina</i>        | 120-2900  | Jang-Thingbu<br>Bomdilla<br>Chakoo road<br>Sessa<br>Pange<br>Tezu<br>Milinjia<br>Suchung<br>Sejusa-Khari  | 1d/2d<br>2d<br>1b/2b<br>1b/2b<br>2b<br>1a/2a<br>2c<br>1b/1c/2b<br>1a                   | c<br>c<br>c<br>n<br>c<br>n<br>n<br>n<br>n           |
| LARGE NILTAVA <i>Niltava grandis</i>                  | 200-2400  | Chakoo road<br>Khari road<br>Talley valley<br>Nigguing<br>Hornbill<br>Mehao lake track  | 1b<br>1a<br>1c<br>2a<br>1a<br>1a   | n<br>n<br>n<br>n<br>n<br>n                          |
| SMALL NILTAVA <i>Niltava macgrigoriae</i>             | 100-1600  | Khari<br>Ramsing<br>Pasighat<br>Tezu<br>Giao Lake<br>Wallong<br>Suchung<br>Roing<br>Hunli-Etalin<br>Miao-Hornbill<br>Yachuli                          | 1a<br>1a/2a<br>1a<br>1a/2a/8<br>1b<br>1b<br>1b<br>2a<br>2a<br>1a/2a<br>8               | n<br>r<br>n<br>c<br>n<br>n<br>n<br>n<br>n<br>c<br>n |

|   |           |  |  |   |
|---|-----------|--|--|---|
| RUFOUS-BELLIED NILTAVA <i>Niltava sundara</i>               | 400-2700  | Broksar-Jang<br>Chakoo road<br>Giao Lake<br>Milinja<br>Roing<br>Etalin-Malinye   | 1d/2d<br>1b<br>1a<br>1d<br>2p<br>1a                                | n<br>n<br>n<br>n<br>n<br>n                |
| VIVID NILTAVA <i>Niltava vivida</i>                         | 2000-2400 | Thingbu track<br>Milinja<br>Motijheel track  | 1c<br>1e<br>1a   | n<br>n<br>n                               |
| PALE BLUE-FLYCATCHER <i>Cyornis unicolor</i>                | 500       | Motijheel track  | 1a   | n   |
| BLUE-THROATED FLYCATCHER <i>Cyornis rubeculoides</i>        | 1200      | Yachuli  | 2p   | n   |
| HILL BLUE-FLYCATCHER <i>Cyornis banyumas</i>                | 1900      | Pange  | 1b   | n   |
| TICKELL'S BLUE-FLYCATCHER <i>Cyornis tickelliae</i>         | 200       | Naharlagun   | 2a   | n   |
| PYGMY BLUE-FLYCATCHER <i>Muscicapella hodgsoni</i>          | 600       | Hornbill   | 1a   | n   |
|   | 1900      | Pange  | 1b/1d  | n   |
|   | 1300      | Talley Valley track  | 1d   | n   |
| GREY-HEADED CANARY-FLYCATCHER <i>Culicicapa ceylonensis</i> | 150-2600  | Jang-Thingbu<br>Tenga-Bomdilla road<br>Khari road<br>Talley valley<br>Axini<br>Giao Lake<br>Deban<br>Kibitho<br>Roing                | 1d/2d<br>8<br>1a<br>1e<br>1b<br>1b<br>1a/2a<br>1c/2c<br>2p         | c<br>n<br>c<br>c<br>c<br>c<br>n<br>n      |
| WHITE-TAILED RUBYTHROAT <i>Luscinia pectoralis</i>          | 150       | Kirsinghsa   | 7  | r   |
| BLUETHROAT <i>Luscinia svecica</i>                          | 120-1200  | D'Ering<br>Wallong   | 7/8<br>8   | n<br>n                                    |
| ORANGE-FLANKED BUSH-ROBIN <i>Tarsiger cyanurus</i>          | 150-3600  | Mago<br>Khari road<br>Redding-Taksing<br>Mayodia<br>Giao Lake track<br>Suchung<br>Pange-Talley Valley 1b/1d/8<br>Malinye<br>Hornbill | 3<br>1a/8<br>8<br>8<br>2a/8<br>1b/1c/8<br>1b/1d/8<br>1b/1d/8<br>1a | c<br>c<br>n<br>c<br>n<br>n<br>n<br>n<br>n |
| GOLDEN BUSH-ROBIN <i>Tarsiger chrysaeus</i>                 | 1850-2500 | Helmet Top<br>Pange  | 8<br>8   | n<br>n                                    |
| WHITE-BROWED BUSH-ROBIN <i>Tarsiger indicus</i>             | 2600-2700 | Mayodia  | 1d   | n   |
| RUFOUS-BREASTED BUSH-ROBIN <i>Tarsiger hyperythrus</i>      | 120-2200  | Khari road<br>Redding-Taksing<br>Basad<br>Wakro  | 1a/8<br>8<br>8<br>8  | c<br>n<br>n<br>n                          |
| ORIENTAL MAGPIE-ROBIN <i>Copsychus saularis</i>             | 120-400   | U  | 2a/2p/4/7/8  | c   |
| WHITE-RUMPED SHAMA <i>Copsychus malabaricus</i>             | 150-350   | Khari road<br>Itanagar<br>Chessa   | 1a/2a<br>2a<br>2a/2p   | r<br>n<br>c                               |
| BLACK REDSTART <i>Phoenicurus ochruros</i>                  | 150-1700  | Tipi<br>Chessa<br>Malinye  | 8<br>8<br>4  | n<br>n<br>n                               |
| HODGSON'S REDSTART <i>Phoenicurus hodgsoni</i>              | 150-2200  | Sangti<br>Khari road<br>Redding-Taksing<br>Alinye<br>Malinye   | 8<br>8<br>8<br>8<br>4  | n<br>n<br>n<br>n<br>n                     |
| DAURIAN REDSTART <i>Phoenicurus auroreus</i>                | 120-1650  | Chakoo road<br>Tipi<br>Naharlagun<br>Pasighat<br>Tezu<br>Wakro<br>Giao Lake<br>Sejusa<br>Mehao lake                                  | 8<br>4<br>4<br>2a<br>2a/4<br>2a<br>2b<br>8<br>1b/6                 | n<br>n<br>c<br>c<br>c<br>n<br>n<br>n<br>n |
| WHITE-WINGED REDSTART <i>Phoenicurus erythrogaster</i>      | 200       | Tipi   | 2a   | n   |

|  |           |   |  |                                      |
|--|-----------|---|--|--------------------------------------|
| BLUE-FRONTED REDSTART <i>Phoenicurus frontalis</i>             | 1000-3400 | Thingbu-Mago track<br>Tenga-Bomdilla road<br>Chakoo road<br>Nigging<br>Mayodia<br>Pange<br>Malinye                          | 3/6<br>8<br>8<br>8<br>8<br>8<br>4                        | c<br>c<br>n<br>n<br>n<br>c<br>c      |
| WHITE-CAPPED WATER-REDSTART <i>Chaimarrornis leucocephalus</i> | 150-3600  | U   | 6  | c                                    |
| PLUMBEOUS WATER-REDSTART <i>Rhyacornis fuliginosus</i>         | 120-2700  | U   | 6  | c                                    |
| WHITB-TAILED ROBIN <i>Cinclidium leucurum</i>                  | 300-1200  | Motijheel track<br>Ranijheel<br>Sessa   | 1a<br>1a<br>1b   | n<br>n<br>n                          |
| LITTLE FORKTAIL <i>Enicurus scouleri</i>                       | 400-3500  | Thingbu track<br>Orak-Taksing track<br>Dambuin<br>Suchung<br>Hotspring<br>Roing<br>Khari<br>Hunli-Etalin                    | 6<br>6<br>6<br>6<br>6<br>6<br>6<br>6                     | n<br>c<br>n<br>n<br>n<br>n<br>n<br>n |
| BLACK-BACKED FORKTAIL <i>Enicurus immaculatus</i>              | 150-700   | Khari<br>Upper Dikroi<br>Chessa<br>Daporijo-Nacho road<br>Tezu<br>Naharlagun  | 6<br>6<br>6<br>6<br>6<br>6                               | c<br>c<br>n<br>n<br>c<br>n           |
| SLATY-BACKED FORKTAIL <i>Enicurus schistaceus</i>              | 150-1500  | Khari road<br>Upper Dikroi<br>Pasighat-Jenging road<br>Axini<br>Giao Lake track<br>Vijaynagar road<br>Etalin-Hunli<br>Roing | 6<br>6<br>6<br>6<br>6<br>6<br>6<br>6                     | c<br>c<br>c<br>c<br>c<br>c<br>n<br>n |
| WHITE-CROWNED FORKTAIL <i>Enicurus leschenaulti</i>            | 150-800   | Khari<br>Roing<br>Hunli-Etalin<br>Hornbill<br>Motijheel   | 6<br>6<br>6<br>1a<br>5                                   | n<br>n<br>n<br>n<br>n                |
| SPOTTED FORKTAIL <i>Enicurus maculatus</i>                     | 300-2100  | Glemu-Choyo track<br>Anini<br>Giao Lake track<br>Vijaynagar road<br>Hunli-Etalin<br>Etalin-Malinye                          | 6<br>6<br>6<br>6<br>6<br>6                               | c<br>n<br>n<br>n<br>n<br>n           |
| PURPLE COCHOA <i>Cochlea purpurea</i>                          | 1850      | near Pange  | 1b/1d  | n                                    |
| GREEN COCHOA <i>Cochlea viridis</i>                            | 300       | Ganga Lake  | 2a   | n                                    |
| SIBERIAN STONECHAT <i>Saxicola maura</i>                       | 120-3300  | U   | 4/5/7/8  | c                                    |
| GREY BUSHCHAT <i>Saxicola ferrea</i>                           | 120-2500  | U   | 4/5/7/8  | c                                    |
| SPOT-WINGED STARLING <i>Sarcoglossa spiloptera</i>             | 250       | Naharlagun  | 2p   | n                                    |
| CHESTNUT-TAILED STARLING <i>Sturnus malabaricus</i>            | 100-350   | U   | 1a/2a/2p/2s/4/7  | c                                    |
| BRAHMINY STARLING <i>Sturnus pagodarum</i>                     | 150       | foothills   | 2p   | n                                    |
| ASIAN PIED STARLING <i>Sturnus contra</i>                      | 100-400   | U   | 5  | c                                    |
| COMMON MYNA <i>Aridotheres tristis</i>                         | 120-1200  | U   | 1a/4/5/7/8   | c                                    |
| JUNGLE MYNA <i>Aridotheres fuscus</i>                          | 200       | Naharlagun  | 2a/2p/2s/5   | c                                    |
| GREAT MYNA <i>Aridotheres grandis</i>                          | 120-550   | Foothills<br>Sejusa<br>Khari<br>Basar Nala<br>Itanagar<br>Wakro<br>Miao-Hornbill<br>Mehao lake track                        | 2a/2p<br>1a/2a<br>1a<br>2a<br>2a<br>2a<br>1a/2a<br>1a/2a | c<br>c<br>c<br>c<br>c<br>c<br>c<br>c |

|   |           |  |  |  |
|---|-----------|--|--|--|
| CHESTNUT-VENTED NUTHATCH <i>Sitta nagaensis</i>     | 1400-3200 | Milinja<br>Hotspring<br>Kibitho  | 1c<br>1e<br>1c   | n<br>n<br>n  |
| CHESTNUT-BELLIED NUTHATCH <i>Sitta castanea</i>     | 150-1600  | U  | 1a/1b/2a/2b  | c  |
| WHITE-TAILED NUTHATCH <i>Sitta himalayensis</i>     | 1500-3500 | Chakoo<br>Talley valley<br>Orak-Glenshang track<br>Anini<br>Hotspring  | 1d<br>1c<br>1b<br>1b/2b<br>1f/2f   | c<br>c<br>r<br>n<br>n                                    |
| VELVET-FRONTED NUTHATCH <i>Sitta frontalis</i>      | 450       | Deban  | 1a   | r  |
| BEAUTIFUL NUTHATCH <i>Sitta formosa</i>             | 1200-1300 | Sesni<br>Etalin-Malinyc  | 1b<br>1b   | n<br>n   |
|   | 1250      | Hornbill   | 1a   | n  |
|   | 700       | Sessa  | 1b   | n  |
| WALLCREEPER <i>Tichodroma muraria</i>               | 500-2400  | Nacho-Nabha track<br>Glenshang-Dujbun<br>Anini<br>Kibitho<br>Hunli-Etalin<br>Mayodia   | 10<br>10<br>10<br>10<br>10<br>10   | n<br>n<br>n<br>n<br>n<br>n                               |
| EURASIAN TREE-CREEPER <i>Certhia familiaris</i>     | 2400-3400 | Mago<br>Talley valley<br>Hotspring   | 1e<br>1f<br>1f   | n<br>c<br>n  |
| BAR-TAILED TREECREEPER <i>Certhia himalayana</i>    | 1300      | Kibitho  | 1c   | n  |
| RUSTY-FLANKED TREECREEPER <i>Certhia nipalensis</i> | 1500-2500 | Anini  | 1b/1c  | c  |
| BROWN-THROATED TREE-CREEPER <i>Certhia discolor</i> | 1100-2400 | Orak<br>Glenshang-Dujbun<br>Majha-Choyo track<br>Pange-Talley Valley   | 1b<br>1b<br>1d<br>1b/1d/2e   | n<br>n<br>n<br>n   |
| WINTER WREN <i>Troglodytes troglodytes</i>          | 1100-2800 | Orak-Glemu track<br>Simbe<br>Talley Valley   | 4<br>8<br>8  | n<br>n<br>n  |
| FIRE-CAPPED TIT <i>Cephalopyrus flammiceps</i>      | 2500      | Bomdilla   | 2d/8   | n  |
| RUFOUS-VENTED TIT <i>Parus rubidiventris</i>        | 2800-3700 | Broksar-Mago-Chirila 1d/1e//2d/2e/3  | c  |  |
| COAL TIT <i>Parus ater</i>                          | 220-2700  | Talley valley  | 1f   | c  |
| GREY-CRESTED TIT <i>Parus dichrous</i>              | 3000-3800 | Thingbu-Mago-Chirila 1e/1f/3   | a  |  |
| GREAT TIT <i>Parus major</i>                        | 150-1500  | Hotspring<br>Pasighat<br>D'Bring<br>Roing<br>Dambuin<br>Tezu<br>Kibitho  | 1f<br>2p<br>7<br>2p<br>2c<br>2p<br>2c  | c<br>c<br>c<br>c<br>n<br>c<br>n                          |
| GREEN-BACKED TIT <i>Parus monticolus</i>            | 900-3300  | Jang-Mago track 1d/1e/2d/2e/8<br>Tenga-Bomdilla road<br>Bomdilla<br>Chakoo road<br>Talley valley<br>Nacho-Glemu<br>-Taksing<br>Aliney<br>Hotspring track<br>Suchung<br>Etalin-Malinyc<br>Yachuli | 8<br>2d<br>1b<br>1e<br>1a/1b/1d/<br>-Taksing<br>2a/2b/2d/8<br>1b/1c<br>1c/1e/2e/8<br>1b/1c/2b/2c<br>1b/1c/2b<br>2c | c<br>c<br>c<br>c<br>c<br>c<br>c<br>c<br>c<br>c<br>c<br>n |
| YELLOW-CHEEKED TIT <i>Parus spilonotus</i>          | 900-2400  | Chakoo road<br>Talley valley<br>Nacho-Glemu-Dujbun 1a/1b/2a/2b<br>Dambuin<br>Giao Lake<br>Etalin-Malinyc   | 1d/2d/8<br>1e<br>1a/1b/1a/1b   | c<br>c<br>c<br>c<br>c<br>c                               |
| YELLOW-BROWED TIT <i>Sylviparus modestus</i>        | 900-3100  | Mago-Thingbu<br>Nacho-Majha-Dujbun 1a/1b<br>Byonali<br>Helmet Top<br>Mayodia<br>Pange-Talley Valley  | 1e<br>1e<br>1b<br>1f<br>1d<br>1e   | r<br>r<br>r<br>r<br>n<br>c                               |

|   |           |  |   |  |
|---|-----------|--|---|--|
| SULTAN TIT <i>Melanochlora sultanea</i>             | 150-1600  | Chakoo road<br>Khari road<br>Itanagar<br>Pange<br>Orak-Glenshang track<br>Deomali<br>Tezu<br>Giao Lake track<br>Deban<br>Roing   | 1a/1b<br>1a<br>1a/2a<br>1b/2b<br>1a/2a<br>1a/2a<br>1a<br>1a/2a<br>2p                  | c<br>c<br>c<br>n<br>c<br>c<br>c<br>c<br>n      |
| BLACK-THROATED TIT <i>Aegithalos concinnus</i>      | 400-2400  | Tenga-Bomdilla road<br>Chakoo road<br>Talley valley<br>Orak-Dujbun track<br>Aliney<br>Vijay Nagar road<br>Yachuli<br>Etalin-Malinyc<br>Pange<br>Mechao lake track<br>Sessa | 8<br>1b/1d/2b/2d<br>1e<br>1b/2b/8<br>2b/2c/8<br>1a/2a<br>2c<br>2b<br>2b/8<br>1a<br>1b | c<br>c<br>c<br>c<br>c<br>c<br>n<br>n<br>n<br>n |
| BLACK-BROWED TIT <i>Aegithalos iouschistos</i>      | 1100-2700 | Talley valley<br>Dujbun-Redding track<br>Majha<br>Giao Lake<br>Kibitho<br>Simbe  | 2e/8<br>2d/8<br>2e/3<br>1b/2b/8<br>2c/8<br>2e/8                                       | c<br>n<br>c<br>c<br>c<br>c                     |
| SAND MARTIN <i>Riparia riparia</i>                  | 120       | Upper Dikroi   | 6   | c  |
| PLAIN MARTIN <i>Riparia paludicola</i>              | 120-350   | Naharlagun<br>D'Ering<br>Deban   | 6<br>6<br>11  | c<br>c<br>c                                    |
| BARN SWALLOW <i>Hirundo rustica</i>                 | 200-1200  | Naharlagun<br>Seijusa<br>Wallong   | 11<br>11<br>11  | c<br>c<br>c                                    |
| ASIAN HOUSE-MARTIN <i>Delichon dasypus</i>          | 400-500   | Roing<br>Vijay Nagar road  | 11<br>11  | n<br>n   |
| NEPAL HOUSE-MARTIN <i>Delichon nipalensis</i>       | 800-3500  | Towang<br>Nacho-Majha track<br>Hotspring<br>Etalin-Malinyc<br>Sessa  | 11<br>11<br>11<br>11<br>11  | c<br>c<br>c<br>c<br>c                          |
| CRESTED FINCHBILL <i>Spizixos canifrons</i>         | 1100      | Giao Lake  | 2b  | n  |
| STRIATED BULBUL <i>Pycnonotus striatus</i>          | 1000-1200 | Sesni<br>Roing-Mayodia   | 1a<br>1b  | c<br>n   |
| BLACK-CRESTED BULBUL <i>Pycnonotus melanicterus</i> | 120-300   | Foothills<br>Tipi<br>Khari road<br>Wakro<br>Miao-Deban   | 2a<br>2a<br>1a<br>2a<br>2a  | c<br>c<br>c<br>c<br>n                          |
| RED-WHISKERED BULBUL <i>Pycnonotus jocosus</i>      | 100-1500  | U  | 2a/2p/4/5/7   | c  |
| HIMALAYAN BULBUL <i>Pycnonotus leucogenys</i>       | 120-2400  | Jang<br>Khari  | 8<br>2a   | n<br>n   |
| RED-VENTED BULBUL <i>Pycnonotus cafer</i>           | 100-1850  | U  | 2a/2b/4/5/7/8   | a  |
| WHITE-THROATED BULBUL <i>Alophoixus flaveolus</i>   | 120-500   | U  | 1a/2a   | a  |
| ASHY BULBUL <i>Hemixos flavala</i>                  | 150-1200  | U  | 1a/2a   | c  |
| MOUNTAIN BULBUL <i>Hypsipetes mcclellandii</i>      | 200-2400  | Tipi<br>Talley valley<br>Mipi<br>Giao Lake<br>Wallong<br>Yachuli<br>Etalin-Malinyc   | 2a<br>1e<br>1d<br>1b<br>2b<br>2c/8<br>2b  | c<br>c<br>n<br>c<br>n<br>n<br>n                |
| BLACK BULBUL <i>Hypsipetes leucocephalus</i>        | 150-2400  | U  | 1a/1b/1d/2a/2b/2d   | c  |
| ZITTING CISTICOLA <i>Cisticola juncidis</i>         | 120       | D'Ering  | 7   | c  |
| STRIATED PRINIA <i>Prinia criniger</i>              | 1100-1200 | Giao Lake<br>Wallong   | 7<br>7  | n<br>c   |
| HILL PRINIA <i>Prinia atrogularis</i>               | 500-2300  | Thingbu track<br>Sessa<br>Ramsing<br>Anini<br>Hunli-Etalin   | 8<br>7/8<br>8<br>7/8<br>2a/8  | n<br>n<br>r<br>r<br>n                          |

|  |           |                     |                  |   |
|--|-----------|---------------------|------------------|---|
| RUFESCENT PRINIA <i>Prinia rufescens</i>                   | 500       | Tuting              | 8                | n |
| GREY-BREASTED PRINIA <i>Prinia hodgsonii</i>               | 150-600   | Ramsing             | 4                | n |
|  |           | Namsai              | 2a/4/8           | c |
|  |           | Roing               | 2p               | n |
| GRACEFUL PRINIA <i>Prinia gracilis</i>                     | 250       | Dimbey              | 7                | c |
| YELLOW-BELLIED PRINIA <i>Prinia flaviventer</i>            | 150       | Kirsinghsa          | 7                | c |
| PLAIN PRINIA <i>Prinia inornata</i>                        | 150       | Kirsinghsa          | 7                | n |
| ORIENTAL WHITE-EYE <i>Zosterops palpebrosus</i>            | 150-2700  | Bomdilla            | 2d/8             | c |
|  |           | Tipi                | 2p               | c |
|  |           | Khari road          | 1a/2a            | c |
|  |           | Jengging            | 2a               | c |
|  |           | Roing               | 2a               | c |
|  |           | Tezu                | 2a/8             | c |
|  |           | Wallong             | 2c/8             | c |
|  |           | Suchung             | 2c/8             | c |
| CHESTNUT-HEADED TESIA <i>Tesia castaneocoronata</i>        | 150-2700  | U                   | 1a/1b/1d/1c/2a/8 | c |
|  |           | Chakoo              | 1d/8             | c |
|  |           | Talley valley       | 1d/8             | c |
|  |           | Nacho-Choyo-Dujbun  | 1b/1d            | c |
|  |           | Giao Lake Lake      | 1b               | c |
|  |           | Simbe               | 1e/8             | c |
|  |           | Khari               | 1a               | n |
|  |           | Hunli-Etalin        | 1a/2a            | n |
|  |           | Malinje             | 1b               | n |
| SLATY-BELLIED TESIA <i>Tesia olivea</i>                    | 600       | Giao Lake track     | 1a               | n |
|  | 750-1000  | Etalin-Malinje      | 1a/1b/2a         | c |
| GREY-BELLIED TESIA <i>Tesia cyaniventer</i>                | 400-700   | Deban-Hornbill      | 1a               | c |
|  |           | Upper Dikroi        | 1a               | c |
|  |           | Motijheel           | 1a               | n |
| BROWNISH-FLANKED BUSH-WARBLER <i>Cettia fortipes</i>       | 1200      | Pange-Talley valley | 1d               | n |
|  | 200       | Naharlagun          | 8                | n |
|  | 1850      | Pange               | 8                | c |
|  | 1200      | Yachuli             | 8                | c |
|  | 1200      | Sessa               | 8                | n |
| ABERRANT BUSH-WARBLER <i>Cettia flavolivacea</i>           | 2400      | Talley Valley       | 8                | n |
| GREY-SIDED BUSH-WARBLER <i>Cettia brunneifrons</i>         | 3000      | Thingbu             | 8                | n |
| MOUNTAIN TAILORBIRD <i>Orthotomus cuculatus</i>            | 250       | Tezu                | 1a               | n |
|  | 450       | Deban-Hornbill      | 1a               | n |
|  | 1850      | Pange               | 1b/1d            | n |
| COMMON TAILORBIRD <i>Orthotomus sutorius</i>               | 150-1150  | U                   | 2a/2p/4/5/7/8    | c |
| DUSKY WARBLER <i>Phylloscopus fuscatus</i>                 | 300       | Itanagar            | 2p               | n |
| TICKELL'S LEAF-WARBLER <i>Phylloscopus affinis</i>         | 150-350   | Itanagar            | 2p               | c |
|  |           | Naharlagun          | 2a/2p            | c |
|  |           | D'Ering             | 7                | c |
| ASHY-THROATED WARBLER <i>Phylloscopus maculipennis</i>     | 1100-2700 | Jang-Broksar        | 1d/2d            | n |
|  |           | Thingbu track       | 1d/1c            | n |
|  |           | Bomdilla            | 2d               | n |
|  |           | Chakoo road         | 1d               | c |
|  |           | Talley valley       | 1e               | c |
|  |           | Limeking-Majhal     | 1b/2b/2d         | c |
|  |           | Anini               | 2b               | c |
|  |           | Giao Lake           | 1b               | c |
|  |           | Etalin-Malinje      | 1b               | n |
| PALE-RUMPED WARBLER <i>Phylloscopus chloronotus</i>        | 700-3500  | Mago                | 1c/1f/2c/2f/3    | c |
|  |           | Pange               | 2p               | c |
|  |           | Yachuli             | 2c               | n |
|  |           | Hornbill            | 1a               | n |
|  |           | Etalin-Malinje      | 1b/2b/8          | n |
| INORNATE WARBLER <i>Phylloscopus inornatus</i>             | 120       | Sejusa              | 2p               | n |
| GREENISH WARBLER <i>Phylloscopus trochiloides</i>          | 650-3300  | Wallong             | 8                | c |
|  |           | Ditchu              | 8                | n |
|  |           | Hayliang            | 2a/8             | n |
|  |           | Hotspring           | 2c/3/8           | n |
| LARGE-BILLED LEAF-WARBLER <i>Phylloscopus magnirostris</i> | 350       | Motijheel track     | 1a               | n |
| EASTERN CROWNED WARBLER <i>Phylloscopus coronatus</i>      | 500       | Chakoo road         | 1a               | n |
| BLYTH'S LEAF-WARBLER <i>Phylloscopus reguloides</i>        | 500-3700  | Thingbu-Mago-Churna | c/1f/2c/2f/3     | c |
|  |           | Chakoo              | 1d               | n |
|  |           | Talley valley       | 1c               | c |
|  |           | Hotspring           | 1f               | c |
|  |           | Deban-Hornbill      | 1a               | n |

|   |           |                      |                |   |
|---|-----------|----------------------|----------------|---|
| YELLOW-VENTED WARBLER <i>Phylloscopus cantator</i>          | 150-1700  | Chakoo road          | 1b/1d          | n |
|   |           | Khari road           | 1a             | n |
|   |           | Simna Parvat track   | 1a             | n |
|   |           | Pange                | 1b             | n |
| GOLDEN-SPECTACLED WARBLER <i>Seicercus burkii</i>           | 600-3600  | Jang-Mago track      | 1c/2d/2c/3     | c |
|   |           | Bomdilla             | 8              | n |
|   |           | Chakoo road          | 1b/1d          | c |
|   |           | Talley valley        | 1e             | c |
|   |           | Basad                | 1d/8           | c |
|   |           | Vijay Nagar road     | 1a             | c |
|   |           | Wallong              | 1b/1c/2b       | c |
|   |           | Karoti               | 2c/8           | n |
|   |           | Kibitho              | 1c/2c/8        | c |
|   |           | Simbe                | 1e             | c |
|   |           | Kahao                | 2e/8           | c |
| GREY-HOODED WARBLER <i>Seicercus xanthoschistos</i>         | 150-2000  | Khari road           | 1a             | c |
|   |           | Orak-Glemu-Dujbun    | 1b/2b          | c |
|   |           | Deban                | 1a             | c |
|   |           | Yachuli              | 2c             | n |
| WHITE-SPECTACLED WARBLER <i>Seicercus affinis</i>           | 150-2000  | Chakoo road          | 1b             | c |
|   |           | Khari road           | 1a             | c |
|   |           | Pange                | 1b             | c |
|   |           | Nacho-Choyo track    | 1a/1b/2a/2b/2d | c |
|   |           | Anini                | 1b             | c |
|   |           | Deban-Hornbill       | 1a             | n |
|   |           | Etalin-Malinje       | 1a/1b          | c |
| GREY-CHEEKED WARBLER <i>Seicercus poliocephalus</i>         | 1000-2400 | Pange-Talley Valley  | 1b/1d          | c |
|   |           | Mehao lake track     | 1b             | n |
| CHESTNUT-CROWNED WARBLER <i>Seicercus castaneiceps</i>      | 150-2500  | Jang-Thingbu track   | 1d             | r |
|   |           | Chakoo road          | 1b/1d          | c |
|   |           | Sessa                | 1b             | n |
|   |           | Khari                | 1a             | c |
|   |           | Talley valley        | 1e/8           | c |
|   |           | Limeking-Dujbun      | 1b             | c |
|   |           | Giao Lake track      | 1a             | c |
|   |           | Simbe                | 1e             | n |
|   |           | Suchung              | 1b/1c/8        | c |
|   |           | Etalin-Malinje       | 1a/1b          | c |
| BROAD-BILLED WARBLER <i>Tickellia hodgsonii</i>             | 2400      | Talley Valley        | 1d             | n |
| RUFOUS-FACED WARBLER <i>Abroscopus albogularis</i>          | 600-800   | Etalin-Malinje track | 1a             | c |
|   | 400       | Roing                | 1a             | n |
|   | 300-500   | Deban-Hornbill track | 1a             | c |
|   | 300       | Motijheel track      | 1a             | n |
| BLACK-FACED WARBLER <i>Abroscopus schisticeps</i>           | 1450-2500 | Talley valley        | 1b             | n |
|   |           | Limeking-Majhal      | 1b/2b/2d       | c |
|   |           | Redding-Taksing      | 1d/2d          | c |
|   |           | Alinye               | 1b             | n |
| YELLOW-BELLIED WARBLER <i>Abroscopus superciliaris</i>      | 150       | Khari                | 1a             | n |
|   | 400       | Roing                | 1a             | n |
|   | 700       | Hornbill             | 1a             | n |
|   | 1000      | Mehao lake track     | 1b             | n |
| STRIATED GRASSBIRD <i>Megalurus palustris</i>               | 150-300   | Namsai               | 4/8            | c |
|   |           | Tezu                 | 4/5/7/8        | c |
|   |           | Wakro                | 4/8            | c |
|   |           | Miao                 | 8              | n |
| RUFOUS-RUMPED GRASSBIRD <i>Graminicola bengalensis</i>      | 120       | D'Ering              | 7              | c |
| WHITE-THROATED LAUGHINGTHRUSH <i>Garrulax albogularis</i>   | 1250-2500 | Jang-Broksar         | 1d             | n |
|   |           | Thingbu              | 1d             | n |
|   |           | Sessa                | 1b             | n |
| WHITE-CRESTED LAUGHINGTHRUSH <i>Garrulax leucophrys</i>     | 150-1800  | U                    | 1a/1b/2a/2b    | c |
| LESSER NECKLACED LAUGHINGTHRUSH <i>Garrulax monileger</i>   | 150-700   | Tezu                 | 1a/2a          | c |
|   |           | Wakro                | 2a             | n |
|   |           | Deban                | 2a             | c |
|   |           | Namphai              | 2p             | n |
|   |           | Hornbill             | 1a             | n |
| GREATER NECKLACED LAUGHINGTHRUSH <i>Garrulax pectoralis</i> | 200-700   | Khellong             | 1a/2a          | c |
|   |           | Sejusa               | 2a             | n |
|   |           | Khari                | 1a             | c |
|   |           | Tezu                 | 2a             | c |
|   |           | Deban                | 1a/2a          | c |
|   |           | Hornbill             | 1a             | n |

|   |           |  |  |  |
|---|-----------|--|--|--|
| STRIATED LAUGHINGTHRUSH <i>Garrulax striatus</i>                | 1100-2500 | Jang-Thingbu<br>Bompu-Chakoo road<br>Sessa<br>Talley valley<br>Basad<br>Giao Lake<br>Etalin-Malinye<br>Mehao lake track              | 1d/1e<br>1b<br>1b<br>1d<br>1d<br>1b<br>1b<br>1b                            | c<br>n<br>c<br>c<br>c<br>c<br>n<br>n           |
| RUFous-NECKED LAUGHINGTHRUSH <i>Garrulax ruficollis</i>         | 120-500   | Boleng<br>D'Ering<br>Jairampur<br>Tezu<br>Miao-Deban<br>Roing  | 4/8<br>7/8<br>2p<br>2a/8<br>2a<br>2p                                       | c<br>c<br>c<br>c<br>n<br>n                     |
| CHESTNUT-BACKED LAUGHINGTHRUSH <i>Garrulax nuchalis</i>         | 150       | Jairampur  | 2a   | n  |
| RUFous-VENTED LAUGHINGTHRUSH <i>Garrulax gularis</i>            | 400       | Hornbill   | 1a   | n  |
| RUFous-CHINNED LAUGHINGTHRUSH <i>Garrulax rufogularis</i>       | 650       | Hayliang   | 2a   | n  |
| SPOTTED LAUGHINGTHRUSH <i>Garrulax ocellatus</i>                | 2700-3200 | Thingbu<br>Eagle's Nest  | 3<br>8   | c<br>n   |
| GREY-SIDED LAUGHINGTHRUSH <i>Garrulax caerulatus</i>            | 600-2100  | Khellong<br>Choyo<br>Aline<br>Mehao lake   | 1a/8<br>1d<br>8<br>1b  | n<br>n<br>n<br>n                               |
| STREAKED LAUGHINGTHRUSH <i>Garrulax lineatus</i>                | 2400-2600 | Jang<br>Borndilla  | 8<br>8   | n<br>c   |
| BLUE-WINGED LAUGHINGTHRUSH <i>Garrulax squamatus</i>            | 500-2000  | New Khellong<br>Dambuin<br>Hunli-Etalin<br>Etalin-Malinye<br>Sessa   | 1a<br>1b/2b<br>2a<br>1a/1b<br>1b   | n<br>n<br>n<br>n<br>n                          |
| ELLIOT'S LAUGHINGTHRUSH <i>Garrulax elliotii</i>                | 3200      | Hotspring  | 2c/3/8   | n  |
| BLACK-FACED LAUGHINGTHRUSH <i>Garrulax affinis</i>              | 1250-3450 | Broksar<br>Thingbu<br>Mago<br>Sange<br>Eagle's Nest<br>Majha-Taksing track<br>Mayodia<br>Hunli<br>Simbe                              | 2a/8<br>4/8<br>3<br>8<br>2e/3<br>1b/1d/3/8<br>2d/8<br>8<br>1e/2c/8         | n<br>c<br>c<br>n<br>c<br>c<br>c<br>n<br>n      |
| CHESTNUT-CROWNED LAUGHINGTHRUSH <i>Garrulax erythrocephalus</i> | 300-3200  | Towang<br>Sange<br>Khellong<br>Pange<br>Majha-Taksing track<br>Dambuin<br>Wakro<br>Giao Lake<br>Kibitho<br>Mayodia<br>Etalin-Malinye | 3<br>3/8<br>1a<br>1b<br>1b/1d<br>2b/2c<br>2a<br>2b<br>2b/2c<br>1d<br>1b/2b | n<br>n<br>c<br>c<br>c<br>n<br>n<br>c<br>c<br>n |
| RED-WINGED LIOCICHLA <i>Liocichla phoenicea</i>                 | 500-1300  | Khellong<br>Ramsing<br>Giao Lake<br>Sessa<br>Etalin-Malinye  | 1a<br>1a<br>1a<br>1b<br>1b/2b  | n<br>c<br>n<br>c<br>n                          |
| ABROTT'S BABBLER <i>Malacocincla abbotti</i>                    | 150       | Upper Dikroi   | 1a   | c  |
| MARSH BABBLER <i>Pellorneum palustre</i>                        | 400       | Tipi   | 8  | n  |
| PUFF-THROATED BABBLER <i>Pellorneum ruficeps</i>                | 350-1300  | Itanagar<br>Etalin-Malinye   | 1a<br>1b   | n<br>n   |
| WHITE-BROWED SCIMITAR-BABBLER <i>Pomatorhinus schisticeps</i>   | 600       | Ramsing  | 1a   | n  |
| STREAK-BREASTED SCIMITAR-BABBLER <i>Pomatorhinus ruficollis</i> | 1200-2550 | Majha<br>Wallong<br>Pange-Talley Valley  | 3/8<br>1b/2b<br>1d/1e  | c<br>c<br>n                                    |
| RED-BILLED SCIMITAR-BABBLER <i>Pomatorhinus ochraceiceps</i>    | 500-1000  | Mehao lake track   | 1a   | n  |
| CORAL-BILLED SCIMITAR-BABBLER <i>Pomatorhinus ferruginosus</i>  | 1100-1800 | Sessa<br>Majha-Taksing<br>Giao Lake<br>Etalin-Malinye<br>Pange<br>Mehao lake track   | 1b<br>1b/1d<br>1b<br>2b<br>1b<br>1b  | n<br>n<br>n<br>n<br>n<br>n                     |

|  |           |  |  |   |
|--|-----------|--|--|---|
| SLENDER-BILLED SCIMITAR-BABBLER <i>Xiphirhynchus superciliaris</i> | 1200-2400 | Tenga-Borndilla road<br>Talley valley<br>Choyo<br>Giao Lake  | 8<br>1d<br>1d<br>1b  | n<br>n<br>n<br>n                                    |
| LONG-BILLED WREN-BABBLER <i>Rimator malacoptilus</i>               | 1900      | Pange  | 1b/1d  | n   |
|  | 1550      | Mehao lake track   | 1a   | n   |
| STREAKED WREN-BABBLER <i>Napotheta brevicaudata</i>                | 300       | Motijheel track  | 1a   | n   |
|  | 500       | Deban-Ranijheel track  | 1a   | n   |
| EYEBROWED WREN-BABBLER <i>Napotheta epilepidota</i>                | 350       | Hornbill   | 1a   | n   |
| SCALY-BREASTED WREN-BABBLER <i>Phoebyga albiventer</i>             | 1800-2400 | Pange  | 1b/1d  | c   |
|  | 200-400   | Talley valley  | 2e   | n   |
| PYGMY WREN-BABBLER <i>Phoebyga pusilla</i>                         | 1850-2500 | Deban-Hornbill   | 1a   | n   |
| RUFous-THROATED WREN-BABBLER <i>Spelaeornis caudatus</i>           | 1850-2500 | Pange  | 1b   | c   |
|  |           | Talley valley  | 1d/1e  | c   |
| BAR-WINGED WREN-BABBLER <i>Spelaeornis troglodytoides</i>          | 3000      | Chakoo   | 3  | n   |
| SPOTTED WREN-BABBLER <i>Spelaeornis formosus</i>                   | 500       | Rani Jheel   | 1a   | n   |
| LONG-TAILED WREN-BABBLER <i>Spelaeornis chocolatinus</i>           | 3100      | Hotspring  | 1e   | n   |
| WEDGE-BILLED WREN-BABBLER <i>Sphecochila humei</i>                 | 1100-1700 | Limeking-Orak<br>Orak-Glenchang  | 1a/1b<br>1b  | c   |
|  |           | Mehao lake   | 1b   | n   |
| BUFF-CHESTED BABBLER <i>Stachyris ambigua</i>                      | 120-300   | Tipi<br>Simna-Parvat<br>Sejusa   | 2a<br>1a<br>1a   | n<br>n<br>c   |
| RUFous-CAPPED BABBLER <i>Stachyris ruficeps</i>                    | 1500-2500 | Sesni<br>Chakoo<br>Talley valley<br>Majha-Taksing<br>Suchung<br>Mayodia  | 1b<br>1d/8<br>1e/8<br>1b/1d<br>1b/8<br>1d                                    | c<br>c<br>c<br>c<br>c<br>n                          |
| GOLDEN BABBLER <i>Stachyris chrysaea</i>                           | 500-2200  | Sesni<br>Talley valley<br>Nabha-Taksing<br>Ramsing<br>Anini<br>Giao Lake<br>Deban<br>Roing-Mayodia<br>Hunli-Etalin<br>Etalin-Malinye | 1b<br>1d<br>1a/1b/1d<br>1a/2a/8<br>1b<br>1b<br>1a<br>1b<br>2a<br>1a/1b<br>1b | c<br>c<br>c<br>c<br>c<br>c<br>c<br>c<br>n<br>c<br>n |
| GREY-THROATED BABBLER <i>Stachyris nigricaps</i>                   | 150-2000  | Khari<br>Itanagar<br>Orak-Majha<br>Pasighat<br>Anini<br>Etalin-Malinyc<br>Sessa<br>Vijay Nagar road<br>Mehao lake track              | 1a<br>1a/2a<br>1b<br>2a<br>1b<br>1a/1b<br>1b<br>1a<br>1a/1b<br>1a/1b         | c<br>c<br>c<br>c<br>c<br>c<br>c<br>n<br>c<br>n      |
|  | 450       | Deban-Hornbill track   | 1a   | n   |
| SNOWY-THROATED BABBLER <i>Stachyris oglie</i>                      | 150-300   | Khari<br>Itanagar<br>Deomali   | 1a<br>1a<br>1a   | c<br>c<br>c   |
| STRIPED TIT-BABBLER <i>Macronous gularis</i>                       |           |  |  |   |
| CHESTNUT-CAPPED BABBLER <i>Timala pileata</i>                      | 120-150   | D'Ering<br>Dimbey  | 2a/7<br>7  | n<br>n  |
| STRIATED BABBLER <i>Turdoides earlei</i>                           | 120-150   | Tezu   | 7  | n   |
| SILVER-EARED MESIA <i>Leiothrix argentauris</i>                    | 200-1400  | Sesni<br>Khari<br>Sejusa<br>Nacho-Orak track   | 1a/2a<br>1a/2a<br>2a<br>1a/1b/8  | n<br>n<br>c<br>c                                    |
|  |           | Ramsing  | 1a/2a  | c   |
|  |           | Tezu   | 2a/8   | c   |
|  |           | Giao Lake track  | 1a/2a  | c   |
|  |           | Deban  | 2a   | c   |
|  |           | Miao   | 2a   | n   |
|  |           | Roing  | 2a   | n   |
|  |           | Yachuli  | 8  | n   |
|  |           | Etalin   | 2a   | n   |

|  |           |                      |               |
|--|-----------|----------------------|---------------|
| <b>RED-BILLED LEIOTHRICE</b> <i>Leiothrix lutea</i>              | 900-2700  | Jang                 | 8             |
|  |           | Bomdilla             | 8             |
|  |           | Khellong             | 1a/2a         |
|  |           | Pange                | 2b/8          |
|  |           | Majha-Tak sing       | track 1b/1d/8 |
|  |           | Anini                | 2b/8          |
|  |           | Milinja              | 8             |
|  |           | Suchung              | 8             |
|  |           | Mayodia              | 8             |
| <b>CUTIA Cutia nipalensis</b>                                    | 800-2200  | New Khellong         | 1a            |
|  |           | Bompu                | 1b            |
|  |           | Niggung              | 2a            |
|  |           | Anini                | 1b            |
|  |           | Malinje-Etalin       | 1b            |
|  |           | Sessa                | 1b            |
|  |           | Pange                | 1b            |
| <b>BLACK-HEADED SHRIKE-BABBLER</b> <i>Pteruthius rufiventer</i>  | 1100-2200 | Limcking-Majha       | 1b            |
|  |           | Giao Lake            | 1b            |
|  |           | Etalin-Malinje       | 1b            |
| <b>WHITE-BROWED SHRIKE-BABBLER</b> <i>Pteruthius flaviscapis</i> | 350-2400  | Broksar              | 1d            |
|  |           | Sesni                | 1b            |
|  |           | Anini                | 1b            |
|  |           | Giao Lake track      | 1a            |
|  |           | Suchung              | 1b            |
|  |           | Pange                | 1b/1d         |
|  |           | Deban-Hornbill       | 1a            |
|  |           | Etalin-Malinje       | 1b            |
|  |           | Vijay Nagar road     | 1a            |
| <b>GREEN SHRIKE-BABBLER</b> <i>Pteruthius xanthochlorus</i>      | 2400-2550 | Majha                | 3             |
| <b>BLACK-BARED SHRIKE-BABBLER</b> <i>Pteruthius melanotis</i>    | 600-2000  | Talley Valley        | 1d            |
|  |           | Nabha-Majha-Dubjunla | 1b/1d         |
|  |           | Anini                | 1b            |
|  |           | Giao Lake            | 1a            |
|  |           | Suchung              | 1b            |
|  |           | Pange                | 1b            |
|  |           | Etalin-Malinje       | 1a/1b         |
| <b>WHITE-HOODED Babbler</b> <i>Gampsorhynchus rufifulus</i>      | 200-800   | Khellong             | 1a            |
|  |           | Itansgar             | 1a            |
|  |           | Tezu                 | 1a            |
|  |           | Deban                | 1a            |
|  |           | Mehao lake track     | 1a/2a         |
| <b>RUSTY-FRONTED BARWING</b> <i>Actinodura egertoni</i>          | 600-2100  | Bompu                | 1b            |
|  |           | Dujbun               | 1b/2b         |
|  |           | Pango                | 1a            |
|  |           | Giao Lake track      | 1a            |
|  |           | Etalin-Malinje       | 1b            |
|  |           | Pange                | 1b/1d         |
|  |           | Deban-Hornbill       | 1a            |
|  |           | Mehao lake           | 1b            |
| <b>STREAK-THROATED BARWING</b> <i>Actinodura waldeni</i>         | 2000-2550 | Pange                | 1b            |
|  |           | Majha                | 1e/3          |
| <b>BLUE-WINGED MINLA</b> <i>Minla cyanouraoptera</i>             | 250-1800  | Khellong             | 1a            |
|  |           | Upper Dikroi         | 1a            |
|  |           | Miao-Deban           | 1a            |
|  |           | Yachuli              | 2c/8          |
|  |           | Mehao lake track     | 1a            |
|  |           | Pange                | 1b            |
| <b>CHESTNUT-TAILED MINLA</b> <i>Minla strigula</i>               | 1850-2550 | Chakoo               | 1d            |
|  |           | Talley valley        | 1d/2d         |
|  |           | Redding-Tak sing     | 1d/2e/8       |
|  |           | Alinje               | 1d            |
|  |           | Suchung              | 1b            |
|  |           | Pange                | 1b/1d         |
|  |           | Milinja-Hotspring    | 1e            |

|   |                              |                                  |
|---|------------------------------|----------------------------------|
| RED-TAILED MINLA <i>Minla ignotincta</i>            | 300-3200                     | Thingbu-Jang track 1d/1d/2d/2e/3 |
|   | Khellong                     | 1a                               |
|   | Upper Dikroi                 | 1a                               |
|   | Pange                        | 1b                               |
|   | Talley valley                | 1d                               |
|   | Nacho-Taksing track 1a/1b/1d | c                                |
|   | Angrim valley                | 2b                               |
|   | Suchung                      | 1b                               |
|   | Yachuli                      | 2c/8                             |
|   | Hornbill                     | 1a                               |
| GOLDEN-BREASTED FULVETTA <i>Alcippe chrysotis</i>   | 1800-3000                    | Broksar                          |
|   |                              | 1d                               |
|   |                              | Thingbu-Mago                     |
|   |                              | 1e                               |
|   |                              | Chakoo                           |
|   |                              | 1d                               |
|   |                              | Bompu                            |
|   |                              | 1b                               |
|   |                              | Talley valley                    |
|   |                              | 1d                               |
|   |                              | Choyo                            |
|   |                              | 1d                               |
| YELLOW-THROATED FULVETTA <i>Alcippe cinerea</i>     | 850-2500                     | Seani                            |
|   |                              | 1b                               |
|   |                              | Sessa                            |
|   |                              | 1b                               |
|   |                              | Talley valley                    |
|   |                              | 1e                               |
|   |                              | Limeking-Majha-Taksing           |
|   |                              | 1b/1d/2b/2d                      |
|   |                              | /2e/8                            |
| RUFOUS-WINGED FULVETTA <i>Alcippe castaneiceps</i>  | 700-2500                     | Etalin-Malinye                   |
|   |                              | 1b                               |
|   |                              | Broksar                          |
|   |                              | 1d                               |
|   |                              | Bomdilla                         |
|   |                              | 2d                               |
|   |                              | Bompu                            |
|   |                              | 1b                               |
|   |                              | Choyo                            |
|   |                              | 1d                               |
|   |                              | Nigguing                         |
|   |                              | 1a                               |
|   |                              | Dambuin                          |
|   |                              | 1b                               |
|   |                              | Mipi                             |
|   |                              | 1b                               |
|   |                              | Giao Lake                        |
|   |                              | 1b                               |
|   |                              | Pange-Talley Valley 1b/1d/1c     |
|   |                              | c                                |
|   |                              | Hornbill                         |
|   |                              | 1a                               |
|   |                              | Etalin-Malinye                   |
|   |                              | 1a/1b                            |
|   |                              | Sessa                            |
|   |                              | 1b                               |
| WHITE-BROWED FULVETTA <i>Alcippe viniperus</i>      | 1800-3600                    | Simbe                            |
|   |                              | 1e                               |
|   |                              | Hotspring                        |
|   |                              | 1f                               |
|   |                              | Suchung                          |
|   |                              | 1b                               |
| LUDLOW'S FULVETTA <i>Alcippe ludlowi</i>            | 2100-2700                    | Thingbu track                    |
|   |                              | 2e                               |
|   |                              | Chakoo                           |
|   |                              | 2d                               |
|   |                              | Talley valley                    |
|   |                              | 3                                |
|   |                              | Majha-Taksing                    |
|   |                              | 2d/2e/3/8                        |
|   |                              | Mayodia                          |
|   |                              | 2d                               |
| RUFOUS-THROATED FULVETTA <i>Alcippe rufogularis</i> | 150-700                      | Simna Parvat track               |
|   |                              | 1a                               |
|   |                              | Pasighat                         |
|   |                              | 1a                               |
|   |                              | Deban-Hornbill                   |
|   |                              | 1a                               |
| NEPAL FULVETTA <i>Alcippe nipalensis</i>            | 150-2000                     | U                                |
|   |                              | 1a/1b                            |
| RUFOUS-BACKED SIBIA <i>Heterophasia annectans</i>   | 500-700                      | Giao Lake track                  |
|   |                              | 1a                               |
|   |                              | Hornbill                         |
|   |                              | 1a                               |
|   |                              | Mehao lake track                 |
|   |                              | 1a/2a                            |
| RUFOUS SIBIA <i>Heterophasia capistrata</i>         | 2300-2800                    | Jang-Thingbu                     |
|   |                              | 1d/2d                            |
|   |                              | Thingbu                          |
|   |                              | 1e                               |
| BEAUTIFUL SIBIA <i>Heterophasia pulchella</i>       | 700-2700                     | Bomdilla                         |
|   |                              | 2d                               |
|   |                              | Eagle's Nest                     |
|   |                              | 1e/3/8                           |
|   |                              | Talley valley                    |
|   |                              | 1e/2e                            |
|   |                              | Nabha-Majha-Taksing              |
|   |                              | 1b/1d/2b/2d/2e/3                 |
|   |                              | Dambuin                          |
|   |                              | 2c/8                             |
|   |                              | Giao Lake                        |
|   |                              | 1b/2b                            |
|   |                              | Milinjia                         |
|   |                              | 1c/1d                            |
|   |                              | Suchung                          |
|   |                              | 1b/2b/8                          |
|   |                              | Mayodia                          |
|   |                              | 1e                               |
|   |                              | Yachuli                          |
|   |                              | 2c/8                             |
|   |                              | Etalin-Malinye                   |
|   |                              | 1b/1c/1d                         |
|   |                              | Hornbill                         |
|   |                              | 1a                               |
|   |                              | Sessa                            |
|   |                              | 1b                               |

|   |           |                     |               |   |
|---|-----------|---------------------|---------------|---|
| LONG-TAILED SIBIA <i>Heterophasia picaoides</i> | 100-1200  | Sesni               | 1b/2b         | c |
|   |           | Sessa               | 1b/2b         | c |
|   |           | Tipi                | 2a            | c |
|   |           | Ramsing             | 1a            | c |
|   |           | Pasighat            | 1a            | n |
|   |           | Giao Lake track     | 1b/2b         | c |
|   |           | Deban               | 1a            | c |
|   |           | Miao-Hornbill       | 1a/2a         | c |
|   |           | Mchao lake track    | 1b            | n |
| STRIATED YUHINA <i>Yuhina castaniceps</i>       | 400-1600  | Biyonal             | 1b            | n |
|   |           | Giao Lake track     | 1a            | c |
|   |           | Hornbill            | 1a            | c |
|   |           | Roing               | 2p            | n |
| WHITE-NAPED YUHINA <i>Yuhina bakeri</i>         | 600-1900  | Sesni               | 1b            | c |
|   |           | Nabha               | 2b            | c |
|   |           | Glemu-Redding       | 1b/1d/2b/2d   | c |
|   |           | Ramsing             | 1a            | c |
|   |           | Mipi                | 1b/2b         | c |
|   |           | Giao Lake           | 1b            | a |
|   |           | Suchung             | 1b            | c |
|   |           | Hunli-Etalin        | 2a            | n |
|   |           | Etalin-Malinyc      | 1b/2a/2b      | n |
|   |           | Sessa               | 1b            | n |
| WHISKERED YUHINA <i>Yuhina flavicollis</i>      | 150-2500  | Jang-Thingbu track  | 1d            | c |
|   |           | Khari               | 1a            | c |
|   |           | Limeking            | 2b            | c |
|   |           | Glemu-Taksing       | 1b/1d/2b/2d/8 | c |
|   |           | Pasighat            | 1a/2a         | c |
|   |           | Alinye              | 1b/2b         | c |
|   |           | Giao Lake track     | 1a            | c |
|   |           | Milinja             | 1c/1d         | c |
|   |           | Suchung             | 1b/1c         | c |
|   |           | Roing-Mayodia       | 1b            | n |
|   |           | Pange               | 1b/1d         | n |
| STRIPE-THROATED YUHINA <i>Yuhina gularis</i>    | 2400-3200 | Thingbu             | 2f/3          | n |
|   |           | Bomdilla            | 2d            | c |
|   |           | Chakoo              | 1d            | c |
|   |           | Talley valley       | 1e            | c |
|   |           | Taksing             | 8             | r |
|   |           | Hotspring           | 1c            | c |
|   |           | Mayodia             | 1d            | n |
| RUFOUS-VENTED YUHINA <i>Yuhina occipitalis</i>  | 2400-3400 | Broksar             | 1d            | c |
|   |           | Mago                | 2f/3          | c |
|   |           | Eagle's Nest        | 1c            | c |
|   |           | Talley valley       | 1e            | c |
|   |           | Taksing             | 2f/8          | c |
|   |           | Mayodia             | 1d            | c |
| BLACK-CHINNED YUHINA <i>Yuhina nigrimenta</i>   | 600-2200  | Chakoo road         | 1b            | c |
|   |           | Nabha               | 2b            | n |
|   |           | Ramsing             | 1a            | c |
|   |           | Wakro               | 1a            | c |
|   |           | Vijaynagar road     | 1a            | c |
|   |           | Suchung             | 1b/1c         | c |
|   |           | Etalin-Malinyc      | 2b/8          | c |
|   |           | Pange-Talley Valley | 1b/1d         | n |
|   |           | Sessa               | 1b            | n |
| WHITE-BELLIED YUHINA <i>Yuhina zantholeuca</i>  | 200-2400  | Chakoo road         | 1b            | r |
|   |           | Tipi                | 1a            | n |
|   |           | Simna Parvat track  | 1a            | n |
|   |           | Talley valley       | 1e            | r |
|   |           | Paago               | 1a            | n |
|   |           | Dambuin             | 1b/1c         | n |
|   |           | Deban-Hornbill      | 1a            | c |
|   |           | Yachuli             | 2c/8          | n |
|   |           | Etalin-Malinyc      | 1b            | n |

## 1994 Recent bird records from Arunachal Pradesh

|   |           |                     |               |   |
|---|-----------|---------------------|---------------|---|
| FIRE-TAILED MYZORNIS <i>Myzornis pyrrhoura</i>                        | 2200-3400 | Thingbu             | 3             | n |
|   |           | Kundav              | 8             | n |
| BROWN PARROTBILL <i>Paradoxornis unicolor</i>                         | 2400-3000 | Mago track          | 1e            | n |
|   |           | Mayodia             | 1d/2d         | n |
|   |           | Talley valley       | 8             | n |
| GREY-HEADED PARROTBILL <i>Paradoxornis gularis</i>                    | 300-1300  | Giao Lake track     | 1b            | n |
|   |           | Deban               | 1a            | n |
|   |           | Sessa               | 1b            | n |
|   |           | Hornbill            | 1a            | c |
| SPOT-BREASTED PARROTBILL <i>Paradoxornis guttaticollis</i>            | 2000      | Wallong             | 2b            | n |
| BLACK-THROATED PARROTBILL <i>Paradoxornis nipalensis</i>              | 2000-2700 | Jang-Thingbu        | 1d/3          | n |
|   |           | Broksar             | 1e            | n |
|   |           | Chakoo              | 1d            | c |
|   |           | Pange               | 1b            | c |
|   |           | Taksing-Majha       | 1b/1d         | c |
|   |           | Anini               | 2b            | n |
|   |           | Mayodia             | 1d            | c |
| LESSER RUFOUS-HEADED PARROTBILL <i>Paradoxornis atrosuperciliaris</i> | 600-1450  | Sesni               | 1b            | c |
|   |           | Limeking            | 8             | c |
|   |           | Mchao lake track    | 2a            | n |
| GREATER RUFOUS-HEADED PARROTBILL <i>Paradoxornis ruficeps</i>         | 200-1750  | Khellong            | 1a            | c |
|   |           | Anini               | 2b            | n |
|   |           | Deban               | 1a            | c |
|   |           | Etalin-Malinyc      | 1a/1b         | n |
|   |           | Mehao lake track    | 2a            | n |
| RUFOUS-WINGED LARK <i>Mirafra assamica</i>                            | 150       | Khari               | 8             | n |
|   | 200       | Naharlagun          | 4             | c |
| INDIAN SHORT-TOED LARK <i>Calandrella raytal</i>                      | 100       | D'Ering             | 4             | c |
| ORIENTAL SKYLARK <i>Alauda gulgula</i>                                | 100-200   | D'Ering             | 4             | c |
|   |           | Naharlagun          | 6             | n |
|   |           | Sejusa              | 4             | n |
| THICK-BILLED FLOWERPECKER <i>Dicaeum agile</i>                        | 200       | Naharlagun          | 2p            | r |
| YELLOW-VENTED FLOWERPECKER <i>Dicaeum chrysorrheum</i>                | 200       | Chessa              | 1a/2a         | n |
|   | 150       | Sejusa              | 1a            | n |
| PLAIN FLOWERPECKER <i>Dicaeum concolor</i>                            | 200-400   | Naharlagun          | 2p            | n |
|   | 150       | Sejusa              | 1a            | n |
|   |           | Tipi                | 2a            | n |
| FIRE-BREASTED FLOWERPECKER <i>Dicaeum ignipectus</i>                  | 850-2400  | Talley valley       | 1f            | r |
|   |           | Limeking            | 1b/2b         | r |
|   |           | Anini               | 2b            | r |
|   |           | Etalin-Malinyc      | 2b            | c |
|   |           | Mchao lake          | 1b            | n |
| SCARLET-BACKED FLOWERPECKER <i>Dicaeum cruentatum</i>                 | 150-200   | Bandardeva          | 2p            | n |
|   |           | Khari               | 1a            | n |
|   |           | Naharlagun          | 2a            | n |
| RUBY-CHEEKED SUNBIRD <i>Anthreptes sangirensis</i>                    | 120-300   | Chessa              | 1a            | n |
|   |           | Deomali             | 1a            | n |
|   |           | Sejusa              | 2p            | n |
|   |           | Itanagar            | 2p            | n |
| MRS GOULD'S SUNBIRD <i>Aethopyga gouldiae</i>                         | 2000-3100 | Jang-Thingbu track  | 1d/1c/2d/2c/8 | c |
|   |           | Tenga-Bomdilla road | 8             | c |
|   |           | Chakoo road         | 8             | c |
|   |           | Talley valley       | 8             | c |
| GREEN-TAILED SUNBIRD <i>Aethopyga nipalensis</i>                      | 150-3200  | Jang-Thingbu track  | 1d/1c/2d/2c/8 | c |
|   |           | Bomdilla            | 2d/8          | n |
|   |           | Chakoo road         | 8             | c |
|   |           | Tipi                | 2a/8          | n |
|   |           | Khari road          | 2a/8          | c |
|   |           | Talley valley       | 2c/8          | c |
|   |           | Majha-Dujbun track  | 8             | c |
|   |           | Mayodia             | 8             | n |
|   |           | Giao Lake track     | 2a/8          | c |

|   |           |                       |             |   |
|---|-----------|-----------------------|-------------|---|
| BLACK-THROATED SUNBIRD <i>Aethopyga saturata</i>      | 150-1700  | Chakoo road           | 8           | n |
|   |           | Khari road            | 2a/8        | r |
|   |           | Nacho-Glenshang track | 2a/2b/8     | c |
|   |           | Roing                 | 2a/8        | n |
|   |           | Tezu                  | 8           | c |
|   |           | Giao Lake             | 8           | n |
|   |           | Etalin                | 1a          | n |
|   |           | Pange                 | 1b          | n |
|   |           | Hornbill              | 1a          | n |
|   |           | Sessa                 | 1b          | n |
| CRIMSON SUNBIRD <i>Aethopyga siparaja</i>             | 150-400   | Namora                | 8           | n |
|   |           | Doimukh               | 2p          | n |
|   |           | Naharlagun            | 2a          | n |
|   |           | Tipi                  | 2a          | n |
| FIRE-TAILED SUNBIRD <i>Aethopyga ignicauda</i>        | 1200-2500 | Thingbu track         | 8           | n |
|   |           | Giao Lake             | 8           | n |
| LITTLE SPIDERHUNTER <i>Arachnothera longirostris</i>  | 150-200   | Khari                 | 1a          | r |
|   |           | Naharlagun            | 2p          | n |
| STREAKED SPIDERHUNTER <i>Arachnothera magna</i>       | 120-1500  | U                     | 1a/1b/2a/2b | c |
| HOUSE SPARROW <i>Passer domesticus</i>                | 120-300   | Chessa                | 4           | c |
|   |           | Sejusa                | 4           | c |
|   |           | Itanagar              | 4           | r |
|   |           | Naharlagun            | 4           | r |
| RUSSET SPARROW <i>Passer rutilans</i>                 | 1500-2900 | Jang                  | 4           | c |
|   |           | Sange                 | 4           | n |
|   |           | Tenga-Bomdilla road   | 8           | c |
|   |           | Pange                 | 2p/4        | c |
|   |           | Hapoli                | 4           | n |
| BURASIAN TREE SPARROW <i>Passer montanus</i>          | 150-2500  | U                     | 2p/4/8      | c |
|   |           | Sangti                | 4           | c |
|   |           | Hapoli                | 4           | c |
|   |           | Limeking              | 4           | r |
| WHITE WAGTAIL <i>Motacilla alba</i>                   | 100-3600  | U                     | 4/5/6       | c |
|   |           | Churna                | 6           | n |
|   |           | Sangti                | 5/6         | n |
|   |           | Naharlagun            | 4/5/6       | c |
|   |           | D'Ering               | 4/5/6       | c |
|   |           | Tezu                  | 4/5/6       | c |
|   |           | Hotspring             | 4/6         | n |
|   |           | Roing                 | 6           | n |
| WHITE-BROWED WAGTAIL <i>Motacilla maderaspatensis</i> | 200       | Tezu                  | 5/6         | r |
| CITRINE WAGTAIL <i>Motacilla citreola</i>             | 100-200   | Naharlagun            | 5/6         | r |
| YELLOW WAGTAIL <i>Motacilla flava</i>                 | 120-1200  | Pasighat              | 4/5         | c |
|   |           | D'Ering               | 4/5         | n |
|   |           | Hayliang              | 4/5         | c |
|   |           | Wailong               | 4/5         | c |
| GREY WAGTAIL <i>Motacilla cinerea</i>                 | 120-2500  | U                     | 4/5/6/7/8   | c |
|   |           | Doimara               | 6           | c |
|   |           | Chakoo road           | 4/5/8       | c |
|   |           | Itanagar              | 4/5         | c |
|   |           | Nacho-Majha           | 5/6         | r |
|   |           | Jengging              | 4/5         | c |
|   |           | Pasighat              | 4/5         | c |
|   |           | D'Ering               | 4/5/7/8     | c |
|   |           | Namsai                | 4/5         | c |
|   |           | Giao Lake             | 5           | n |
|   |           | Vijay Nagar road      | 4/8         | c |
| PADDYFIELD PIPIT <i>Anthus rufulus</i>                | 120       | Sejusa                | 7           | n |
| TAWNY PIPIT <i>Anthus campestris</i>                  | 150-1500  | Deomali               | 4           | n |
|   |           | Tezu                  | 4           | c |
|   |           | Hapoli                | 5           | n |
| OLIVE-BACKED PIPIT <i>Anthus hodgsoni</i>             | 150-1850  | Chakoo road           | 4           | c |
|   |           | Naharlagun            | 4           | n |
|   |           | Anini                 | 4           | c |
|   |           | Vijay Nagar road      | 4           | c |
|   |           | Wailong               | 4           | c |
|   |           | Pange                 | 4/8         | c |

|   |           |                     |       |   |
|---|-----------|---------------------|-------|---|
| ROSY PIPIT <i>Anthus roseatus</i>                     | 3800      | Churna              | 4/5   | n |
| ALPINE ACCENTOR <i>Prunella collaris</i>              | 2400      | Mayodia             | 4     | n |
| RUFOUS-BREASTED ACCENTOR <i>Prunella strophiata</i>   | 1850-3800 | Chirila             | 3     | c |
|   |           | Tenga-Bomdilla road | 8     | c |
|   |           | Chakoo road         | 4     | n |
|   |           | Dujbun-Taksing road | 4/8   | c |
|   |           | Pange               | 4/8   | c |
|   |           | Talley Valley       | 8     | n |
| MAROON-BACKED ACCENTOR <i>Prunella immaculata</i>     | 3700      | Chirila             | 1f    | n |
| BAYA WEAVER <i>Ploceus philippinus</i>                | 200       | Naharlagun          | 4     | n |
| WHITE-RUMPED MUNIA <i>Lonchura striata</i>            | 150-250   | Sejusa              | 8     | c |
|   |           | Naharlagun          | 4/8   | c |
|   |           | Namsai              | 2a/8  | n |
| SCALY-BREASTED MUNIA <i>Lonchura punctulata</i>       | 120-1500  | Naharlagun          | 4/8   | c |
|   |           | Jengging            | 2a/8  | n |
|   |           | D'Ering             | 7     | c |
|   |           | Kibitho             | 8     | c |
|   |           | Roing               | 8     | n |
| BLACK-HEADED MUNIA <i>Lonchura malacea</i>            | 200-300   | Tezu                | 5/8   | c |
| YELLOW-BREASTED GREENFINCH <i>Carduelis spinoides</i> | 2500-3000 | Thingbu track       | 8     | c |
| BLACK-HEADED GREENFINCH <i>Carduelis ambigua</i>      | 1300      | Bomdilla            | 4     | c |
| DARK-BREASTED ROSEFINCH <i>Carpodacus nipalensis</i>  | 2600      | Mayodia             | 8     | c |
| COMMON ROSEFINCH <i>Carpodacus erythrinus</i>         | 500-3300  | Hotspring           | 3/8   | c |
| SPOT-WINGED ROSEFINCH <i>Carpodacus rodopeplus</i>    | 2500      | Mayodia             | 8     | n |
| WHITE-BROWED ROSEFINCH <i>Carpodacus thura</i>        | 3800      | Chirila             | 3     | c |
| BEAUTIFUL ROSEFINCH <i>Carpodacus pulcherrimus</i>    | 3700      | Churna              | 3/4   | c |
| DARK-RUMPED ROSEFINCH <i>Carpodacus edwardsii</i>     | 2200      | Redding             | 8     | c |
| CRIMSON-BROWED FINCH <i>Pinicola subhimachalus</i>    | 1850-2500 | Chakoo              | 8     | c |
|   |           | Talley Valley       | 8     | n |
|   |           | Mayodia             | 8     | n |
|   |           | Pange               | 8     | n |
| SCARLET FINCH <i>Haematozpis sipahi</i>               | 600-2300  | Broksar-Jang        | 1d/2d | r |
|   |           | Giao Lake track     | 1a    | n |
| BROWN BULLFINCH <i>Pyrrhula nipalensis</i>            | 2400      | Talley valley       | 1f    | r |
| RED-HEADED BULLFINCH <i>Pyrrhula erythrocephala</i>   | 3700      | Mago                | 1f    | n |
| GREY-HEADED BULLFINCH <i>Pyrrhula erythaca</i>        | 2500-3500 | Broksar             | 1e/2e | n |
|   |           | Chakoo road         | 1d    | n |
|   |           | Hotspring           | 2f/8  | c |
|   |           | Mayodia             | 8     | n |
|   |           | Talley Valley       | 8     | c |
| COLLARED GROSBEAK <i>Mycerobas affinis</i>            | 2600      | Mayodia             | 1d    | n |
| SPOT-WINGED GROSBEAK <i>Mycerobas melanozanthos</i>   | 2400      | Talley valley       | 1e    | n |
| WHITE-WINGED GROSBEAK <i>Mycerobas carnipes</i>       | 350-3600  | Thingbu             | 1f    | c |
|   |           | Mago                | 1f    | n |
| GOLD-NAPED FINCH <i>Pyrrhoplectes epaulettia</i>      | 1800-3200 | Thingbu             | 3     | n |
|   |           | Malinje             | 1b/1d | n |
|   |           | Mayodia             | 8     | n |
|   |           | Talley Valley       | 8     | n |
| CRESTED BUNTING <i>Melophus lathami</i>               | 300-1700  | Dirang              | 4     | n |
|   |           | Itanagar            | 4/8   | c |
|   |           | Pango               | 4     | n |
|   |           | Jengging            | 4/8   | c |
|   |           | Wallong             | 4     | c |
| GODEŁWSKI'S BUNTING <i>Emberiza godlewskii</i>        | 1500-2500 | Redding-Taksing     | 4/8   | c |
|   |           | Kibitho track       | 2c/8  | c |
| LITTLE BUNTING <i>Emberiza pusilla</i>                | 200-2500  | Chakoo              | 4     | c |
|   |           | Tipi                | 4     | n |
|   |           | Alfinye             | 4     | c |
|   |           | Etalin-Malinje      | 4     | n |
|   |           | Deban               | 8     | n |
| YELLOW-BREASTED BUNTING <i>Emberiza aureola</i>       | 2100      | Chakoo road         | 10    | r |

**Locality codes:**

- 1 Towang  
 2 Jang-Broksar-Thingbu-Mago-Churna-Chirila track  
 3 Sella pass  
 4 Sange  
 5 Balamau  
 6 Rowta  
 7 Dirang  
 8 Sangti  
 9 Bomdilla  
 10 Foothills-Doimara-Khellong-Sesni-Bompu-Chakoo-Eagle's Nest track  
 11 Sessa  
 12 Tipi  
 13 Sejusa-Khari-Upper Dikroit track in Pakhui Wildlife Sanctuary  
 14 Sejusa  
 15 Namora  
 16 Basar Nala-Simna Parvat track  
 17 Itanagar  
 18 Chessa  
 19 Naharlagun  
 20 Kirsinghsa  
 21 Doimukh  
 22 Bandardewa  
 23 Yachuli  
 24 Hapoli-Pange-Talley valley track  
 25 Nacho-Nabha-Limeking-Orak-Glenhang-Dujbun-Redding-Taksing track  
 /  
 Glemu-Chojo-Majha track  
 26 Daparijo  
 27 Migging-Pango-Nigguing-Tuting track  
 -Keegut track  
 28 Boleng  
 29 Pangin  
 30 Ramsing  
 31 Jengging  
 32 Sille  
 33 Pasighat  
 34 D'Ering Memorial Wildlife Sanctuary  
 35 Roing  
 36 Mayodia  
 37 Etalin-Anini-Alyine-Angrim valley-Dambuin track  
 /  
 Mipi-Byonali-Basad track  
 38 Malinje  
 39 Hunli  
 40 Namsai  
 41 Deomali  
 42 Jairampur  
 43 Tezu  
 44 Dimbey  
 45 Wakro-Giao Lake track  
 46 Hayliang  
 47 Deban-Vijay Nagar road

48 Wallong-Karoti-Kibitho-Ditchu-Milinja-Simbe-Hotspring track  
 Suchung-Kundav-Para track

- 49 Miao  
 50 Motijheel  
 51 Hornbill  
 52 Ranijheel  
 53 Mehao lake

U = ubiquitous

**Habitat classification:**

- 1 Primary forests (i.e. undisturbed forests)  
 1a Tropical semi-evergreen and evergreen forests  
 1b Subtropical broadleaved forests  
 1c Pine forests  
 1d Temperate broadleaved forests  
 1e Temperate mixed forests  
 1f Temperate conifer forests  
 2 Mixed secondary forests  
 2a Tropical semi-evergreen and evergreen forests  
 2b Subtropical broadleaved forests  
 2c Pine forests  
 2d Temperate broadleaved forests  
 2e Temperate mixed forests  
 2f Temperate conifer forests  
 2g Plantations  
 2s Succession woodlands  
 3 Rhododendron-bamboo scrub (in temperate and alpine zones)  
 4 Jhum/cultivation/grazing/habitation  
 5 Swamp/wetland/wet cultivation  
 6 Waterbody (includes riverbeds and nallahs)  
 7 Grassland of riverine floodplains with scattered trees  
 8 Scrubland (degraded forest areas, excludes rhododendron-bamboo)  
 9 Alpine vegetation (excludes rhododendron-bamboo scrub)  
 10 Earth and rock cliffs  
 11 Air

**Abundance categories:**

- a Seen very often and in large numbers  
 c Seen quite often  
 r Rarely seen  
 n Abundance not known.




Figure 1. Map of localities mentioned in the text.

**APPENDIX 2****OTHER SPECIES RECORDED FROM ARUNACHAL PRADESH**

|  |                   |
|--|-------------------|
| SNOW PARTRIDGE <i>Lerwa lerwa</i>                        | 12,36             |
| TIBETAN SNOWCOCK <i>Tetraogallus tibetanus</i>           | 27                |
| BUFF-THROATED PARTRIDGE <i>Tetraophasis szechenyii</i>   | 28                |
| BLACK FRANCOLIN <i>Francolinus francolinus</i>           | 9,36              |
| SNOW PARTRIDGE <i>Lerwa lerwa</i>                        | 12,36             |
| TIBETAN PARTRIDGE <i>Perdix hodgsoniae</i>               | 27                |
| RUFous-throated PARTRIDGE <i>Arborophila rufogularis</i> | 1,2,5,12,17,20,25 |
| MOUNTAIN BAMBOO-PARTRIDGE <i>Bambusicola fytchii</i>     | 37                |
| *BLYTH'S TRAGOPAN <i>Tragopan blythii</i>                | 9,12,36           |
| *SCLATER'S MONAL <i>Lophophorus sclateri</i>             | 1,?2,4,28         |
| TIBETAN BARRED-PHEASANT <i>Crossoptilon harmani</i>      | 7                 |
| LESSER WHISTLING-DUCK <i>Dendrocygna javanica</i>        | 32                |
| BEAN GOOSE <i>Anser fabalis</i>                          | 36                |
| GREYLAG GOOSE <i>Anser anser</i>                         | 15                |
| BAR-HEADED GOOSE <i>Anser indicus</i>                    | 11                |
| RED-BREASTED GOOSE <i>Branta ruficollis</i>              | 22                |
| *WHITE-WINGED DUCK <i>Cairina scutulata</i>              | 2,29,32,37        |
| *PINK-HEADED DUCK <i>Rhodonessa caryophyllacea</i>       | 32                |
| RED-CRESTED POCHARD <i>Netta rufina</i>                  | 32                |
| COMMON POCHARD <i>Aythya ferina</i>                      | 11,15             |
| LONG-TAILED DUCK <i>Clangula hyemalis</i>                | 30,36             |
| HIMALAYAN FLAMEBACK <i>Dinopium shorii</i>               | 9,36              |
| BLACK-RUMPED FLAMEBACK <i>Dinopium benghalense</i>       | 13                |
| ?BROWN-HEADED BARRET <i>Megalaima zeylanica</i>          | ?25               |
| *BLYTH'S KINGFISHER <i>Alcedo hercules</i>               | 11,12,17,20,?45   |
| BLUE-BARED KINGFISHER <i>Alcedo meninting</i>            | 17,36             |
| BLACK-BACKED KINGFISHER <i>Ceyx erithacus</i>            | 17,36             |
| HODGSON'S HAWK-CUCKOO <i>Cuculus fugax</i>               | ?24,?25,36        |
| COMMON CUCKOO <i>Cuculus canorus</i>                     | 11,15,17,28       |
| LESSER CUCKOO <i>Cuculus poliocephalus</i>               | 11,25             |
| PLAINVILLE CUCKOO <i>Cacomantis merulinus</i>            | 24                |
| SIRKEER MALKHOA <i>Phoenicophaeus leschenaultii</i>      | 36                |
| SLATY-HEADED PARAKEET <i>Psittacula himalayana</i>       | 36                |
| BLOSSOM-HEADED PARAKEET <i>Psittacula roseata</i>        | 2,?25             |
| WHITE-THROATED NEEDLETAIL <i>Hirundapus caudacutus</i>   | 12,17,25,28       |
| BROWN-BACKED NEEDLETAIL <i>Hirundapus giganteus</i>      | 11,12,25          |
| ALPINE SWIFT <i>Tachymarptis melba</i>                   | 36                |
| HOUSE SWIFT <i>Apus nipaleensis</i>                      | 24,25,36          |
| CRESTED TREESWIFT <i>Hemiprocne coronata</i>             | 2                 |
| ORIENTAL BAY-OWL <i>Phodilus badius</i>                  | 12,13             |
| ORIENTAL SCOPS-OWL <i>Otus sunia</i>                     | 36                |
| SPOT-BELLIED EAGLE-OWL <i>Bubo nipalensis</i>            | 9,12,36           |
| BROWN FISH-OWL <i>Ketupa seyloensis</i>                  | 17                |
| SPOTTED OWLET <i>Athene brama</i>                        | 25,36             |
| HODGSON'S FROGMOUTH <i>Batrachostomus hodgsoni</i>       | 13,36             |
| *PALE-CAPPED PIGEON <i>Columba punicea</i>               | 1,2               |
| ORANGE-BREASTED GREEN-PIGEON <i>Treron bicincta</i>      | 17,36             |
| *BLACK-NECKED CRANE <i>Grus nigricollis</i>              | 10,11,38          |
| SOLITARY SNIPE <i>Gallinago solitaria</i>                | 12,36             |

|  |                 |
|--|-----------------|
| *WOOD SNIPE <i>Gallinago nemoricola</i>                    | 27              |
| COMMON SNIPE <i>Gallinago gallinago</i>                    | 11              |
| MARSH SANDPIPER <i>Tringa stagnatilis</i>                  | 26              |
| WOOD SANDPIPER <i>Tringa glareola</i>                      | 29              |
| LONG-BILLED PLOVER <i>Charadrius placidus</i>              | 28              |
| ORIENTAL PRATINCOLLE <i>Glareola maldivarum</i>            | 2               |
| LITTLE GULL <i>Larus minutus</i>                           | 15              |
| BLACK BAZA <i>Aviceda leuphotes</i>                        | 36              |
| BRAHMINY KITE <i>Haliastur indus</i>                       | 29              |
| *PALLAS'S SEA-EAGLE <i>Haliaeetus leucoryphus</i>          | 2               |
| LAMMERGEEPER <i>Gypaetus barbatus</i>                      | 26,36           |
| RED-HEADED VULTURE <i>Sarcogyps calvus</i>                 | 29              |
| RUFous-BELLIED EAGLE <i>Hieraetus kieneri</i>              | 9,12,26,36      |
| COLLARED FALCONET <i>Microhierax caerulescens</i>          | 36              |
| PEREGRINE FALCON <i>Falco peregrinus</i>                   | 13,36           |
| BLACK-NECKED GREBE <i>Podiceps nigricollis</i>             | 25              |
| Goliath HERON <i>Ardea goliath</i>                         | 17              |
| *WHITE-BELLIED HERON <i>Ardea insignis</i>                 | 12,16           |
| PURPLE HERON <i>Ardea purpurea</i>                         | 29              |
| CHINESE POND-HERON <i>Ardeola bacchus</i>                  | 17              |
| BLUE-NAPED PITTA <i>Pitta niplensis</i>                    | 1,2,5,11,12,17  |
| BLUE PITTA <i>Pitta cyanea</i>                             | 25,36           |
| HOODED PITTA <i>Pitta sordida</i>                          | 11,12           |
| INDIAN PITTA <i>Pitta brachyura</i>                        | 36              |
| COMMON RAVEN <i>Corvus corax</i>                           | 27              |
| BLACK-WINGED CUCKOO-STRIKE <i>Coracina melanotos</i>       | 1,2,11,17,24,25 |
| ROSY MINIVET <i>Pericrocotus roseus</i>                    | 24,36           |
| SMALL MINIVET <i>Pericrocotus cinnamomeus</i>              | 17              |
| CROW-BILLED DRONGO <i>Dicrurus aeneus</i>                  | 17,36           |
| PIED THRUSH <i>Zoothera wardii</i>                         | 9,36            |
| DARK-SIDED THRUSH <i>Zoothera marginata</i>                | 17,36           |
| TICKELL'S THRUSH <i>Turdus unicolor</i>                    | 11              |
| EURASIAN BLACKBIRD <i>Turdus merula</i>                    | 27              |
| EYEBROWED THRUSH <i>Turdus obscurus</i>                    | 26,36           |
| DUSKY THRUSH <i>Turdus naumannii</i>                       | 36              |
| GOULD'S SHORTWING <i>Brachypteryx stellata</i>             | 27,28           |
| *RUSTY-BELLIED SHORTWING <i>Brachypteryx hypopyrra</i>     | 17,25,36        |
| SLATY-BACKED FLYCATCHER <i>Ficedula hodgsonii</i>          | 28,45           |
| SAPPHIRE FLYCATCHER <i>Ficedula sapphira</i>               | 1,17,25         |
| PALE-CHINNED FLYCATCHER <i>Cyornis poliogenys</i>          | 25,36           |
| FIRETHROAT <i>Luscinia pectardens</i>                      | 25              |
| INDIAN BLUE ROBIN <i>Luscinia brunnea</i>                  | 25,36           |
| WHITE-THROATED REDSTART <i>Phoenicurus schisticeps</i>     | 9,36            |
| WHITE-BELLIED REDSTART <i>Hodgsonius phaenicuroides</i>    | 9,36            |
| BLUB-FRONTED ROBIN <i>Cinclidiump frontale</i>             | 37              |
| GRANDALA <i>Grandala coelicolor</i>                        | 36              |
| JERDON'S BUSHCHAT <i>Saxicola jerdoni</i>                  | 36              |
| GOLDEN-CRESTED MYNA <i>Ampeliceps coronatus</i>            | 17              |
| WIRE-TAILED SWALLOW <i>Hirundo smithii</i>                 | 29              |
| RED-RUMPED SWALLOW <i>Hirundo daurica</i>                  | 12,17,36        |
| GOLDCREST <i>Regulus regulus</i>                           | 9,36            |
| GOLDEN-HEADED CISTICOLA <i>Cisticola exilis</i>            | 29,36           |
| PALM-FOOTED BUSH-WARBLER <i>Cettia pallidipes</i>          | 2,?11           |
| CHESTNUT-CROWNED BUSH-WARBLER <i>Cettia major</i>          | 27              |
| YELLOWISH-BELLIED BUSH-WARBLER <i>Cettia acanthizoides</i> | 28              |

|                                |                                    |                          |
|--------------------------------|------------------------------------|--------------------------|
| SPOTTED BUSH-WARBLER           | <i>Bradypterus thoracicus</i>      | 1,27                     |
| BROWN BUSH-WARBLER             | <i>Bradypterus luteoventris</i>    | 28                       |
| PADDYFIELD WARBLER             | <i>Acrocephalus agricola</i>       | 17                       |
| THICK-BILLED WARBLER           | <i>Acrocephalus aedon</i>          | 17                       |
| SMOKY WARBLER                  | <i>Phylloscopus fuligiventer</i>   | 9,36                     |
| BUFF-BARRED WARBLER            | <i>Phylloscopus pulcher</i>        | 9,36                     |
| SPOT-BREASTED LAUGHINGTHRUSH   | <i>Garrulax merulinus</i>          | 1,17                     |
| SCALY LAUGHINGTHRUSH           | <i>Garrulax subunicolor</i>        | 1,2,13,28,48             |
| BUFF-BREASTED BABBLER          | <i>Pellorneum tickelli</i>         | 2,5,12,13,17,20,24,35,45 |
| SPOT-THROATED BABBLER          | <i>Pellorneum albiventre</i>       | 1,2,25                   |
| LARGE SCIMITAR-BABBLER         | <i>Pomatorhinus hypoleucus</i>     | 12,17,20,36              |
| SPOT-BREASTED SCIMITAR-BABBLER | <i>Pomatorhinus erythrocenesis</i> | 36                       |
| *RUSTY-TIROTLED WREN-BABBLER   | <i>Spelaeornis badeigularis</i>    | 2,34                     |
| YELLOW-EYED BABBLER            | <i>Chrysomma sinense</i>           | 17                       |
| SLENDER-BILLED BABBLER         | <i>Turdoides longirostris</i>      | 36                       |
| JUNGLE BABBLER                 | <i>Turdoides striatus</i>          | 13,36                    |
| STREAK-THROATED FULVETTA       | <i>Alcippe cinereiceps</i>         | 37                       |
| RUSTY-CAPPED FULVETTA          | <i>Alcippe dubia</i>               | 12,17,20,25              |
| GREY SIBIA                     | <i>Heterophasia gracilis</i>       | 3,36                     |
| *BLACK-BREASTED PARROTBILL     | <i>Paradoxornis flavirostris</i>   | 9,36                     |
| FULVOUS PARROTBILL             | <i>Paradoxornis fulvifrons</i>     | 28                       |
| HORNED LARK                    | <i>Bremophila alpestris</i>        | 36                       |
| YELLOW-BILLED FLOWERPECKER     | <i>Dicaeum melanoxanthum</i>       | 9,36                     |
| ORANGE-BILLED FLOWERPECKER     | <i>Dicaeum trigonostigma</i>       | 36                       |
| PALE-BILLED FLOWERPECKER       | <i>Dicaeum erythrorhynchos</i>     | 36                       |
| FOREST WAGTAIL                 | <i>Dendronanthus indicus</i>       | 17                       |
| RUFOUS-STREAKED ACCENTOR       | <i>Prunella himalayana</i>         | 9,36                     |
| ROBIN ACCENTOR                 | <i>Prunella rubeculaoides</i>      | 26                       |
| TIBETAN SERIN                  | <i>Serinus thiberanus</i>          | 36                       |
| PLAIN MOUNTAIN-FINCH           | <i>Leucosticte nemoricola</i>      | 17,28                    |
| CRIMSON ROSEFINCH              | <i>Carpodacus rubescens</i>        | 28                       |
| RED-FRONTED ROSEFINCH          | <i>Carpodacus puniceus</i>         | 9,36                     |
| RED CROSSBILL                  | <i>Loxia curvirostra</i>           | 36                       |
| CHESTNUT-EARED BUNTING         | <i>Emberiza fucata</i>             | 36                       |
| CHESTNUT BUNTING               | <i>Emberiza rutila</i>             | 37                       |

## Birds of Rajaji National Park, India

S. PANDEY, JUSTUS JOSHUA, N. D. RAI, D. MOHAN, G. S. RAWAT, K. SANKAR, M. V. KATTI, D. V. S. KHATI and A. J. T. JOHNSINGH

### INTRODUCTION

Rajaji National Park ( $29^{\circ}51'7''N$  to  $30^{\circ}15'5''N$  and  $77^{\circ}57'7''E$  to  $78^{\circ}23'36''E$ ) is situated in the Shiwalik hills and outer Himalaya of Uttar Pradesh state of India. It is 820.2 km<sup>2</sup> in area and it spreads over the civil districts of Dehra Dun, Haridwar and Garhwal (Fig. 1). The tract is mainly hilly, traversed by a number of steep ridges and valleys alternating with each other. The river Ganges bisects the park.

### STUDY AREA

The area to the west of the Ganges belongs to the Shiwalik chain of mountains and has a prominent north-west south-east ridge running through the middle of it. The area north of this ridge slopes gently into the Dehra Dun valley and is covered with dense Sal *Shorea robusta* forests. Champion and Seth (1968) classified it as Moist Shiwalik Sal Forest. The area south of the ridge has a jagged topography with a number of steep ridges which emerge from the main Shiwalik ridge and have narrow valleys between them, housing seasonally swift rivers locally called 'Rau' (dried river bed). The ridges are grassy with scattered tree growth. A strip of forest on flat ground forms the southern boundary of the park. The forest on the south of the main ridge can be termed as Dry Shiwalik Sal Forest according to Champion and Seth (1968). *Anogeissus latifolia* is abundant on slopes, associated with Sal in some places. The area east of the Ganges does not have a well defined main ridge. The northern part of this area belongs to the outer Himalaya. Numerous ridges run in various directions and there are some elevated flat areas. In general the forest varies from moist to dry and from mixed to nearly pure Sal forest, depending on the aspect and slope.

A substantial area of the park is comprised of river beds which remain dry for the greater part of the year. Some areas are under plantations of *Ailanthes excelsa*, *Tectona grandis*, *Haplophragma* etc. There is a barrage on the River Ganges near Haridwar city. The backwaters of the reservoir, as well as a small stretch of the river Ganges, lie in the national park. These water bodies attract a lot of resident and migratory waterbirds.

Rajaji has a typical continental climate, characterized by a distinct summer (March-June) and winter (October-February). The temperature